FALL CATALOG 2024 SPECIALS

3M 4 1/2" Grinder (.788860)
(Page 2)



GREAT Prices
BIG Savings

Milwaukee 2438-20 Cordless Polisher (.940922)
(Page 26)

DeWalt DCL050 Max Area Light (.846580)
(Page 27)

YOUR FAVORITE TOP RATED BRANDS.

Valid October Through December 2024


AMERICAN PRODUCERS SUPPLY



TABLE OF CONTENTS

Abrasives	1-2
Communications	3
Concrete Supplies	4-5
Construction Supplies	6-8
Fall Protection	9-10
Industrial Bolting	11-12
Janitorial / MRO Supplies	123-14
Jobsite Storage	15
Ladders	16
Lifting & Rigging	17-18
Lighting / Electrical	20-21
Pipe Working Tools	22-23
Power Tools	24-29
Safety & PPE	30-36
Tools - Cutting	37-39
Tools - Electrician	40-42
Tools - Hand	43-46
Closeouts	47
Other Services	48

*** Prices effective through 12/31/2024. Subject to availability. Prices subject to change without notice. Freight charges may apply. American Producers Supply is not responsible for errors or omissions. ***




Find your tool.
Unlock your potential.

At American Producers Supply, we're dedicated to helping you discover the perfect tools for every job. Our comprehensive range of tools ensure you can tackle any project with confidence. From precision instruments to heavy-duty equipment, each item is carefully selected to meet your highest standards.

Explore our catalog today and empower yourself with the tools you need to succeed.

All items in catalog are while supplies last!

Visit our website for deals on construction supplies, power tools, abrasives, safety / PPE, and more!



www.americanproducers.com

AUTHORIZED SERVICE CENTER FOR

Milwaukee · CHAMPION CUTTING TOOL CORP · DEWALT · Husqvarna Construction Products · GENERAC · FALLTECH Fall Protection. Precision Engineered.

CM · ENERPAC · BOSCH · RIDGID · metabo · STIHL

SENCO · HONDA · EQUALIZER INTERNATIONAL · SIMPLEX · Chicago Pneumatic · metabo HPT



UNITED ABRASIVES SAIT

A24R Portable Saw Wheel

23420 (.15703)



- Special aluminum oxide grain
- Provides consistent performance with long life
- Type 1 shape is great for swuare burr-free cutting
- Externally reineforced with the highest quality fiberglass to withstand the toughest applications

A24R Pipeline General Purpose Grinding Wheel

Ideal for medium pressure applications on flat and contoured surfaces.

Catalog/Part #	Dia.	Arbor	Grit	RPM
22030 (.54884)	4½"	7/8"	60	13,300
22042 (.130589)	6"	7/8"	60	10,200
22065 (.324803)	9"	7/8"	60	6,600



SAIT Pro Metal Portable Saw Wheel

24140 (.780154) **14 x ⅛ x 20mm**



- Aluminum oxide grain
- Best value for a fast cut
- Type 1/Type 41 shape for square, burr-free cutting
- Constructed with the highest quality fiberglass to withstand the toughest applications

Ovation Jumbo Flap Disc

- Heavy duty zirconium grain, designed for high pressure applications
- Durable polyester backing for reduced edge wear and long life
- 40% more material than regular density flap disc

Catalog/Part #	Dia.	Arbor	Grit	RPM
78008 (.714762)	4½"	7/8"	60	13,300
78038 (.794615)	6"	7/8"	60	10,200



A24R Long Life Grinding Wheel

24140 (.780154) **14 x ⅛ x 20mm**

For use on ferrous metals (iron, steel, welds, etc.) for general purpose grinding.

Catalog/Part #	Dia.	Arbor	RPM
20063 (.9056)	4½"	7/8"	13,300
20079 (.110075)	6"	7/8"	10,200
20090 (.55634)	9"	7/8"	6,600



.A46N Aluminum .045” Cutting Wheels

- Aluminum oxide grain
- Soft bond aggressive cutting without loading
- Type 1 / Type 41

Catalog/Part #	Dia.	Arbor	Type	RPM
22345 (.137648)	4½"	7/8"	27	13,300
22360 (.776195)	6"	7/8"	27	10,200



WEILER

Roughneck Stringer Bead Wheels



For use on ferrous metals (iron, steel, welds, etc.) for general purpose grinding.

Catalog/Part #	Dia.	Knots	Wire Size	RPM
13131 (.695227)	4"	32	.020	20,000
13232 (.808515)	4 1/2"	38	.020	15,000
09000 (.802549)	6 7/8"	56	.020	9,000
09100 (.824311)	6 7/8"	76	.020	9,000

Scratch Brush 12 / Box

44063 (.777022)



Constructed of dense filament/wire with an even trim for a consistent brushing action, this brush is ideal for cleaning and prepping surfaces.

Polyflex Encapsulated Stringer Bead Wheel



Features an encapsulation that gradually wears away to expose a consitent short trim.

Catalog/Part #	Trim Length	Size.	Arbor	RPM
35216 (.857692)	11 5/16"	7”	5/8”-11 UNC	9,000



4½" Extended Grinder

28414 (.788860)



- High torque grinders feature re-positionable guards for improved visibility, steel gear heads for added durability and superior noise reduction
- Powerful without excessive weight for improved operator comfort
- Guard can be positioned for greater surface visibility




Cubitron II T27 Depression Center Grinding Wheel

Constructed of 3M precision-shaped ceramic grain to bring you an exceptionally fast-cutting and long-lasting rigid bonded wheel for heavy weld removal and other heavy-duty grinding applications. This grinding wheel works well on almost all materials and is specially formulated for use on stainless steel, mild steel, and aerospace alloys.

Catalog/Part #	Diameter	Max RPM	Qty/Box
64320 (.810305)	4½" x ¼" x 5/8"	13,300	10
64314 (.810348)	6" x ¼" x 5/8"	10,200	10





4 1/2 x 7/8 Cubitron II Flap Disc 967A

Catalog/Part #	Type	Grit	RPM
55605 (.823074)	27	40	13,300
55606 (.823452)	27	60	13,300
55623 (.826375)	29	40	13,300
55625 (.825982)	29	80	13,300



Silver Cut-Off Wheel

Catalog/Part #	Diameter	RPM	Qty/Box
87465 (940553)	4½" x .045" x ⅞"	13,300	25
87469 (.940555)	6" x .045" x ⅞"	10,200	25



Depressed Center Grinding Wheels

Catalog/Part #	Diameter	RPM	Qty/Box
87453 (.940534)	4½" x ¼" x 7/8"	13,300	10
87450 (.940543)	6" x ¼" x 7/8"	10,200	10
87451 (.940549)	7" x ¼" x 7/8"	8,500	10



Cubitron II T1 Cut-Off Wheels

Catalog/Part #	Diameter	RPM
66525 (.810631)	4½" x ¼" x 7/8"	13,300
66527 (.810360)	6" x ¼" x 7/8"	10,200

KENWOOD

ProTalk®
Business Two-Way Radios

SAVE ON

PROFESSIONAL KENWOOD PROTALK TWO-WAY RADIOS

LIMITED TIME OFFER!

BUY 8 PROTALK RADIOS GET 2 FREE

With this exclusive offer for NetPlus Alliance members, there is no limit on the number of radios you can purchase and the number of free radios you can receive.

***There's only one catch. This offer is valid only once, for one order only, which must be placed by* December 31, 2024**

Stock up on these high performance radios now!

PLACE YOUR ORDER TODAY!

PROMOTION ENDS DECEMBER 31, 2024



NX-P1202AVK
NX-P1302AUK

NX-P1200AVK
NX-P1300AUK
NX-P1200ISNVK
NX-P1300ISNUK

NX-P1200NVK
NX-P1300NUK
NX-1300DUK
NX-1300DUK2

Product is only available at our following locations: Marietta, Columbus, Cincinnati, Huntington, Pittsburgh

STIHL®

14" Cutquik Saw FREE with purchase of 12 Diamond Deluxe Cut Blades



DIAMOND PRODUCTS

Imperial Purple High Speed Diamond Blade

- Diamond depth of .394” (10mm)
- Segment height of .494” (13mm)

Catalog/Part #	Size.
85149 (.961417)	12” x .110 x UNV
78976 (.815348)	14” x .125 x UNV
96480 (.913669)	16” x.125 x UNV
34504 (.961416)	18” x .125 x 1”



14” Delux cut High Speed Blades

70499LOGO (.855942)

For use on high speed masonry and low HP walk behind saws.

$169.00 Each



MAXX General Purpose Saw Blades

- Diamond depth of .295” (7mm)
- Segment height of .395” (10mm)
- Heat isolation slots in segment for better cooling and faster cut

Catalog/Part #	Size.
53734 (.131811)	12” x .125 x UNV
53742 (.87377)	14” x .125 x UNV
90185 (.766008)	16” x.125 x UNV



Core Borse Hand-Held Motor

CB215 (.1080565)

- Light-weight for easy coring - 13lbs
- 3 speed gear box with slip cluthc and locking gear lever
- vaccum hose connection and water conenction





Wet & Dry Core Bits

Call for sizes and pricing.

M-1 Core Drill Rig w/ CB733 Motor

4245113 (.972218)

- Combonation Base: mechanically anchor OR vaccume down with same base
- Slide handle allows for drilling in tight areas
- Amps: 20A / 115V



DITEQ DIAMOND TOOLS & EQUIPMENT

Arix Monster 125x1”-20mm Diamond Concrete/Asphalt Blade

D11150 (.1064110) **12”**
D11151 (.887694) **14”**
D11152 (.991032) **16”**

- Combo concrete, block, green concrete, and asphalt
- Use on high speed, masonry, low HP flat saws

CALL FOR PRICING AND AVAILABILITY!



14” General Purpose Diamond Blade

D70094-1 (.836140)

Use for fast cutting on awide variety of materials including: conrete, stone, masonry, and more.
(Wet/Dry) Size: 14” x .125” x 1”-20mm





DITEQ DIAMOND TOOLS & EQUIPMENT

General Purpose Diamond Blade

D70012 (.807218) **12”**
D70016 (.807215) **14”**

- For cutting, masonry and stone, asphalt and concrete
- Wet or dry use



C-34AX Series Dry Concrete Core Bits

- Drill quazite underground enclosures with ease
- Turbo segments for faster drilling

CALL FOR SIZES AND AVAILABILITY!



MARSHALLTOWN U.S.A.

Aluminum Place without Hook Welded Handle

14753 (.771364)

- Aluminum construction, power coated
- Braced for additional strenght
- 60” long
- Soft grip end-cap



Texas Style Concrete Rake

TP159 (.785542)


- Eqquiped with weighted handle
- durable 12-guage, powder-coated steel blade material
- Blade measured 20” v 5”
- Comes w/ your choice oof a 48” or 60” hardwood handle



Kneeler Board

KB451 (.888537)

- Black foam pad fastened to a polypropylene tray
- Comes w/ extra-large handle grips
- The padded area is 19 x 13½”



Shockwave™ 2.0 Power Screed

32856 (.1069845)

- Excellent vibration dampening
- Onboard tachometer/hour meter great for scheduling maintenance
- Industry standard 9” blade attachment hole spacing

CALL FOR PRICING AND AVAILABILITY!



PROSCAPE™ Stainless Steel D-Grip Shovel

32458 (.1079996) **Round Point**
32459 (.1079998) **Square Point**

- Black foam pad fastened to a polypropylene tray
- Comes w/ extra-large handle grips
- The padded area is 19 x 13½”

CALL FOR PRICING AND AVAILABILITY!



PROSCAPE™ Strait Handle Shovel

32460 (.1079999) **Round Point**
32461 (.108000) **Square Point**

- Long steel collar for added strength
- Strong fiberglass handle shaft
- Feature a solid step on top of the blade for comfortable foot placement

CALL FOR PRICING AND AVAILABILITY!



Cast Mag Hand Float

148D (.833712)

- Ideal for smoothing and gliding over air entrained concrete
- 16” x 3 ⅛” blades
- Produces a smoother finish than wood finishing tools



RAZORBACK® PROFESSIONAL TOOLS

Sledge Hammer

Perfect for heavy hammering and demolition work.

3111000 (.883618) **4LB**
3112000 (.883620) **6LB**
3113000 (.883621) **8LB**
3115000 (.883626) **10LB**



Drain Spade w/ Fiberglass Handle

47602 (.838612)

- Dura-Torque crimp collar for super strong head-to-handle connection
- For digging and clearing drainage ditches



Road Rake

63121 (.786032)

- Eqquiped with a 66” hardwood handle
- Steel ferrule



Round Point Shovel

45520 (.786033)

- 48” hardwood handle
- Forward turned step
- Open back



MAX

Rebar Tying Tool

RB611T (.996787)

- Completes a tie in ½ a second
- Dispenses the precise amount of wire needed to form a tie
- Produces a shorter tie height which requires less concrete to cover a wire tie



Rebar Tie Wire

TW898 (.909150)

- Black annealed steel tie wire for MAX Rebar tiers
- 21 guage
- 312ft per roll
- 50 rolls per case



VizCon The Visibility Connection — A Division of Traffix Devices, Inc.

Orange Cone w/ Reflective Strips

16036-HIWB-10 (.859488)

- Made of Low Density Polyethylene Plastic
- Stands tall in the hottest weather and won’t crack or break even at -40 degrees
- Will retain its color through the use of UV stabilizers



42” Looper Cone w/ Reflective Bands & 12lb Base

46133-TR412HIP-KIT (.1102106)

- Made of flexiable low density flourescent polyethylene
- Excellent for creating pedestrian barriers and parking lot traffic control



39” Roof Edge Delineator w/ 30lb Base

47039-Y-CRU-30 (.1102107)

- Quick set-up and removal
- Durable low density plastic cones
- Bases stack for easy transport
- Meets OSHA regulations 16lb. pull test



Orange Flag w/ Handle

3001743 (.69614)

- Made from strong, non-corrosive material without any sharp edges
- Flag measures 18” x 18”
- Handle measures 1¼” diameter



Trafix Portable Sign Stand

22000 (.821260)

- Tip resistant design effectively spills wind
- Holds a 36” x 36” or 48” x 48”
- Roll up sign securely w/ no heavy springs



Assorted Construction Signs Available

CALL FOR PRICING AND AVAILABILITY!



MAX

Twintier Rebar Tie Kit

RB443T (.1096571)

- Completes a tie in ½ a second
- Dispenses the precise amount of wire needed to form a tie
- Produces a shorter tie height which requires less concrete to cover a wire tie



Tie Wire Coil 30/Bx

TW1061T (.942994)

- Wire steel is melter, annealed and drawn in the U.S.A
- Steel mill certification available





Ask us about our Fasteners!

Large inventory of High Quality Fasteners!

PRIMESOURCE

Powers FASTENERS

AMPRO FASTENERS

DAGGERZ

DEWALT



Talk to your sales representative about Vendor Managed Inventory!

Grip Rite

24” x 100” Slit Fence

SF1272411E (.102045)

- 1” Grip-Cap plastic fastener - five fastenings per post
- Available in a variety of sizes, post, and reinforcement configurations
- Pre- assembled GR fabric mounted on hot dipped galvanized welded wire



42 Gallon Contractor Bags

GRAPCBAG20 (.871258)

- Bags are made from recycled product
- Used for heavy trash clean-up
- Ties included



Steel Nail Stakes

Round stakes w/ holes. Made in the USA. 10/ carton.

Catalog/Part #	Size.
STKR18 (.784851)	3/4” x 18”
STKR24 (.866596)	3/4” x 24”
STKR36 (.818963)	3/4” x 36”



3x1000 Bilingual Caution/Danger Tape

BTCC31000G (.850586) **Caution**
BTP31000GR (.850587) **Danger**

- Ideal for identifying jobsite hazards, work areas, and for crowd control
- Made of durable 2 mil polyethylene



Ingersoll Rand

Digger

93LA1 (.954670)

- 7/8” x 3-1/4” hex shank
- 2,350 BPM
- Lightweight, latch retainer



Pavement Breaker

Catalog/Part #	Hex Shank	Stroke	BPM
PB35AL8 (.711182)	1x4-1/4”	6-1/4”	1,250
MX60A (.711179)	1-1/8 x 6”	5-3/4”	1,200-1,400



Chipping Hammer

Equipped with a round shank oval collar

Catalog/Part #	Stroke	BPM
2A2SA (.135969)	2”	2,300
3A2SA (.721354)	3”	1,725



HARDWORKING
FILTERS
FOR ALL OF YOUR EQUIPMENT.



END-TO-END FILTRATION FOR THE MOST DEMANDING REQUIREMENTS.

Donaldson delivers ***complete filter coverage*** for a wide range of equipment used in construction, mining, manufacturing, energy, power generation, and much more...

donaldson.com
shop.donaldson.com
800.374.1374

© 2018 Donaldson Company, Inc.

Donaldson FILTRATION SOLUTIONS



American Producers is a FallTech Authorized Repair Center for Self-Retracting Devices (SRD's)

We **inspect, repair and certify** all FallTech cable SRDs.

6' Internal Single Leg w/ Steel Snap Hooks Lanyard

8259 (.873349)

- Low-profile design constructed with tubular polyester webbing
- Features full-length internal energy absorber and visual fall inducator
- Includes alloy steel snap hooks for harness attachment and anchorage connectionsattachment





Tradesman Pro 1D Standard Full Body Harness

7008CSM (.1076025) **Small / Medium**
7008CLX (.1076026) **Large / Extra Large**
7008C2X3X (.1076027) **2XL / 3XL**

- Features all-black plated steel hardware
- V-slot locking D-Ring plate that minimizes slipping
- Dorsal attachment tunnel allows for fast connection
- Includes suspensiontrauma relief straps
- Complies w/ ANSI Z359.11-2021



Roofing Kit w. Tongue/Buckle Harness

8595A (.914726)

This kit includes...

- 7016 UniFit full body harness
- 8150 50' vertical lifeline
- 8368 3' shock absorbing lanyard with trailing rope grab
- 7410 roof anchor

FT-R Class 2 Leading Edge SRL Galvanized Steel Cable

721520LE (.1058460) **20'**
721530LE (.1036843) **30'**
72156LE (.1058461) **60'**

- 7/32" galvanized steel cable lifeline with swivel snap hook
- Improved internal mechanism design minimizes unintentional lockups to keep workers moving freely and producrively






WERNER

14” I-Beam Sliding Anchor

A550000 (.834060)

- Lightweight aluminum design moves smoothly across beam
- Fits beam flanges from 3-½” to 14”
- Fits beams up to 1-¼” thick



R3 Reusable 5K Concrete Anchor

A510300 (.1062595)

- Secure one-hand operation with push-to-stop installation
- Quick-release button for removability
- Diamond hard carbon coating



Roofing Bucket Kit

K112201 (.831043)

This kit includes...

- BaseWare harness w/ tongue buckle leg straps
- Reuasable roof anchor
- 50ft poly-dac rope
- Manual rope grab w/ an integrated 3ft shock absorbing lanyard



6’ Softcoil Single Leg Lanyard

C351100 (.892009)

- Absorbs fall arrest energy along the entire length of the lanyard
- Impact indicator gives a visual warning when the lanyard has been subjected to a fall and should be removed from service
- Bighead safety hook is designed to prevent false engagement when connecting to the harness



GUARDIAN FALL PROTECTION

3M

Double Leg Snap Hooks Pack

01230 (..874158)

- 1” nylon web
- 3,600lb connector gate
- 6’ double leg steel snap hook
- Worker capacity range of 130-310lbs



PRO™ Stretch 100% Tie-Off Lanyard

1340161 (.781052)

- Lightweight user friendly design
- Fire resistant Kevlar fiber webbing
- PVC shock pack w/ Kevlar fiber cover



Rope w/ Snap Hook

01340 (.855032)

- Heavy duty ⅝” poly rope
- Resists cuts and abrasions
- Rope has an ttached self-locking carabiner
- Snap hook end



Twin-Leg Self Retracting Lifeline w/ Carabiner

3100512 (.873285)

- Swiveling anchorage connector loop and carabiner
- aluminum or thermoplastic housing design
- Quick activating speed-sensing locking system



Velocity Harness

01705 (..874150) **Small - Large**
01706 (.874151) **Large - 2XL**

- 3 D-Rings (1 back, 2 side)
- Provides a visual warning when the webbing has been damaged and should be taken out of service



Vest-Style Harness Blaack 452lb

1161542 (.934761) **Medium - Large**
1161543 (.934868) **XL**
1161544 (.935032) **2XL**

- Parachute torso adjusters
- Equipped with polyester webbing





ENERPAC

GOAL ZERO

ENERPAC

Goal Zero and Trainings

Enerpac is commited to achieving Goal of Zero harm to employees, customers, and end users of our products. training services are offered to useres of Enerpac products to help achieve Goal Zero.

- **Training for Tool Owners**
- **Safety Training**
- **ON-Site Training**
- **Tool Crib Audits**
- **Customized Training**

American Producers is a Simplex Mechanical Jack Distributor!

Ask your sales person about our Enerpac Repiar and Certification Facility!

PPH40 40 Ton Hydraulic Pin Puller Kit

- Hydraulically pulls the joint pin in a controlled manner using a single-acting lightweight aluminum hollow plunger cylinder
- Remove joint pins efficiently saves time and money
- C-shaped designed column Sections can lock together allowing just one operator to manipulate the tool
- Quick Nuts allow for hassle-free and quick attachment to threaded rod and rapid tool removal



MS220 Maintenance Set


This kit includes...

- RC256 Hydraulic Cylinder
- Lightweight P392 2-speed hydraulic hand pump
- Hose
- Guage
- Lock-on or threaded connectors
- Storage crate




ER Series Machine Skates

Catalog #	Capacity Imperial Tons	Contact Rolls	Rollers Per Skate
ER1	1	4	11
ER10	10	5	15
ER15	15	4	13
ER30	30	4	13
ER60	60	4	13
ER80	80	6	17




ELP Series Leveling Plate

Catalog #	Capacity Imperial Tons
ELP1	1
ELP10	10
ELP15	15
ELP30	30
ELP60	60
ELP80	80



ES Series Turntable Swivel

Catalog #	Capacity Imperial Tons
ES1	1
ES10	10
ES15	15
ES30	30
ES60	60
ES80	80



ENERPAC



W Series Drives

- Superior strength to size ratio provides easy access to difficult to reach applications without sacrificing endurance
- 30° rotation angle and rapid return stroke provide fast operation
- Fast release drive unit enables rapid exchange of cassettes, no tools required

Model #	Max Torque Output (Ft. lbs)	Max. PSI	Hexagon Range (in)
W2000X	2040	10,000	1 1/16" x 2 3/8"
W4000X	4175	10,000	1 5/16" x 3 3/8"
W8000X	8470	10,000	1 7/8" x 4 1/8



HMT Series Hydraulic Torque Wrench Drive Units

- Supplied with an ergonomic tool safety handle as standard
- The HMT Modular Torque/Tool is also supplied with a link pin retainer as standard
- Interchangeable with other manufacturers
- The HMT is part of a modular system which is made up of a single power head and one attachment; the HMT Drive Unit and HLP Hexagon cassette or HSQ Square Drive Cassette
- Accuracy of +/- 3%

Model #	Max Torque Output Ft lbs	Max. PSI	Hexagon Range (in)
HMT1500	1,541	10,000	1 1⁄16 - 2 7⁄16
HMT3500	3,543	10,000	1 3⁄8 - 3 1⁄8
HMT7500	7,562	10,000	2 3⁄16 - 3 15⁄16

W Series Cassettes

- Full range of interchangeable hexagon cassettes provides maximum versatility

Model #	Hexagon Range (in)
W2000X Series	1 1/16" x 2 3/8"
W4000X Series	1 5/16" x 3 3/8"
W8000X Series	1 7/8" x 4 1/8



HLP Series Cassettes

- Interchangeable low profile hexagon cassette for HMT drive unit

Model #	Hexagon Range (in)
W2000X Series	1 1/16" x 2 3/8"
W4000X Series	1 5/16" x 3 3/8"
W8000X Series	1 7/8" x 4 1/8



HLP Series Cassettes

- Electric hydraulic pump with 115V motor for powering medium- to large-size hydraulic torque wrench or tool
- Protective molded covering with handle for carrying
- 2 gal. reservoir for hydraulic fluid
- Control pendant for remote operation
- Flow rate of 60 cu. in. per minute at maximum operating pressure of 10,000 psi



Model #	Includes Heat Exchanger (H)	Includes Roll Cage
ZU4208BB-Q	No	No
ZU4208BB-QH	Yes	No
ZU4208BB-QHR	Yes	Yes

Xc2202MB Cordless Hydraulic Pump

- Cordless convenience eliminates extension cords, noise and emission producing generators
- High-performance brushless motor drives high-flow rates for increased productivity and provides twice the life of brushed motors
- Bladder reservoir reduces contamination and allows pump use in any position





Natural ORANGE™ Pumice Hand Cleaner

0955-04 (.138764)

- Pumic scrubbing particles for cleaning a broad range of industrial soils, medium dirts and grease
- Natural orange citrus ingredient
- 1 gallon with pump dispenser



14oz Natural ORANGE™ Smooth Hand Cleaner

0947-12 (.700554)

- Contains a natural citrus ingredient
- Cleans without harsh solvents
- Effective on dirt and oil



Scrubbing Wipes 72/TB

6396-06 (.860700)

- Dual textured with a scrubbing side for removing tough soils and a smooth side for quick dirt absorption
- Extra-large towels for superior cleaning capacity
- Contains skin conditioners to help prevent dryness and irritation



5oz Hand Medic Skin Conditioner

9150-12 (.836654)

- Helps prevent dry, cracked skin by maintaining skin's moisture level
- Absorbs quickly with no greasy after-feel
- Silicone and fragrance free



Diamond Crystal Winter Melt 50lb

100012605 (.51137)

- Works down to 5°F/-15°C1-ds
- Does not leave oily residue



Diamond Crystal Green Melt 50lb

100011598 (.845437)

- Works down to -5°F/-21°C
- Green-tinted for easy-to-see coverage on ice and packed snow
- An economical one-two punch of Calcium Chloride and Sodium Chloride



Economy Garage Broom

81251 (.140632) **18"**
81252 (.140631) **24"**

- Ideal for sweeping on semi-smooth surfaces such as wood, concrete, factory and shop floors
- durable construction and materials and an affordable price point
- The broom's blocks have threaded holes for wood or fiberglass handles, and your choice of fill materials are staple-set for longer service life



Polypro Broom

81207 (.713249) **24"**
81209 (.749261) **36"**

- For smooth surfaces, such as wood, tile, linoleum or smooth concrete
- Each block includes threaded holes to accept wood or fiberglass handles



osborn

Black Tampico Broom



81211 (.368495) **18”**
81212 (.190055) **24”**

- Durable, economical line of quality products for both industrial and DIY applications
- Each block has threaded holes for wood or fiberglass handles

5’ Wood Handle w/ Metal Threads



77015 (.139592)

- For smooth surfaces, such as wood, tile, linoleum or smooth concrete
- Each block includes threaded holes to accept wood or fiberglass handle

8” Counter Duster



54005 (.139583)

- Black tampico material
- 2 1/2” trim length
- For heavier material removal



Kidde



21032138K 21032142K 21032149K 21032152K

Part #	Description	Rating
21032138K (.785385)	21/2 lb. ABC Extinguisher w/ Metal Vehicle Bracket	1A:10B:C
21032142K (.791446)	5lb ABC Extinguisher w/ Wall Hook	3A:40B:C
21032149K (.791447)	10lb ABC Extinguisher w/ Wall Hook	4A:60B:C
21032152K (.789102)	20lb ABC Extinguisher w/ Wall Hook	6A:80B:C





KNAACK

Armoured Transport Cart

KAT-01 (.1088675)



- Oversized 8” diameter rubber wheels
- Swivel wheels and an ergonomic handle
- 750 lb. load rating, 50% more than standard carts
- 16-gauge Armoured steel panels and full-framed lockable steel doors
- Integrated tray compartments for parts and hardware

Transport Cart

KT-01 (.1103815) *



- Oversized, 8-inch-diameter rubber wheels with both swivel and locking features
- Maximizes mobility even when moving maximum payloads across the jobsite
- 750 lb. load rating, 50% more than standard carts

SPECIAL ORDER ONLY!

Field Station 2.0

119-02 (.986865)



- Full, oversized, gutter system w/ automotive grade weather stripping
- Patented Watchman IV lock system with recessed lock housing
- Newly designed, spring loaded solid lock rod mechanism
- Easy to reach, detachable handle for closing upper door
- Equipped with dual gas springs, with built in safety lock on left side

JOBMASTER® Chest

4830 (.54948)



- Heavy duty 16-gauge steel construction
- Recessed handles
- Baked on powder coat finish
- Weather resistant
- Caster-ready

CALL FOR SIZES & PRICING!

JOBOX

Site-Vault™ Heavy-Duty Chest

2-652990 (.1001958) **36x20**
2-653990 (.1000725) **42x20**
2654990 (.993330) **48x24**
2-656990 (.993332) **48x30**
2-655990 (.1000722) **60x24**



- Site-Vault™ security system is a patented system with 3 locking points and a reflective orange lock indicator that shows when the box is locked or unlocked
- Heavy-duty beveled edge lid eliminates sharp front lid corners and enhances lid strength
- Dual built-in lid storage with integrated cargo nets is perfect for rain gear, PPE or small tools
- EZ-Lock support arm secures and locks lid in open position for safe use

Original Field Office

1-674990 (.768771)



- 63” x 42” x 80”
- Beveled sidewalls for enhanced weather resistance and security with storage area for plans and binders
- Large lockable desktop can be raised to make a flat working surface
- Stainless steel door hinges resist rust with upper door safety bar support with locking pin
- Steel pegboard
- 30 cu. ft. storage locker
- Rain gutters

WERNER


LeanSafe™ X3 Ladder

LDP7306 (.988832)

A professional 3-in-1 multi-purpose ladder that seamlessly changes from a step to straight ladder in one adjustment. With a duty rating of 375 pounds, the LEANSAFE® ladder is uniquely designed to securely lean against flat wall surfaces, wall corners, poles, and wall studs and perform as a standard stepladder.

- 3 in 1 mulitpurpose ladder
- 375 lbs. capacity
- Multi-Position ladders, works around electricity





Type 1A Fiberglass Step Ladder

6204 (.49656) **4'**
6206 (.54988) **6'**
6208 (.50438) **8'**
6210 (.49569) **10'**
6212 (.48679) **12'**

- 300lb duty rating
- Features a LOCKTOP® which provides maximum storage capacity for the most frequently used tools
- The LOCKTOP® features an impact driver slot to safely hold the most used tools
- Three anchor points
- Fiberglass rails are non-conductive for working near electricity.



LeanSafe Fiberglass Ladder

L6204 (.916647) **4'**
L6206 (.916536)* **6'**
L6208 (.916552) **8'**
L6210 (.916554) **10'**
L6212 (.916648) **12'**

- Type 1,300 lb. capacity
- Designed to lean against walls, corners, and poles
- Non-marring rubber pad protects the wall
- Top is designed to secure tools and increase productivity
- Rail latch locks legs together when in leaning mode
- Curved foot pads to maximize surface area when in stepladder and leaning mode



Type 1AA Fiberglass Step Ladder

6304 (.791364) **4'**
6306 (.791365) **6'**
6308 (.791366) **8'**
6310 (.791367) **10'**
6312 (.791368) **12'**

- Duty ratingof 375lb
- Features a LOCKTOP® which provides maximum storage capacity for most frequently used tools
- The LOCKTOP® features an impact driver slot to safely hold the most used tools
- Steel plate on the side helps expand storage on the ladder top by allowing the use of magnetic accessories



Type 1AA Fiberglass Step Ladder

D6216-2 (.55084) **16'**
D6220-2 (.50530) **20'**
D6224-2 (.55172) **24'**
D6228-2 (.50612) **28'**
D6232-2 (.50698) **32'**
D6240-2 (.50794) **40'**

- Features non-conductive rails making this ladder ideal for working near electricity
- Duty rating of 300lb
- The exclusive Alflo® rung joint means Twist-Proof® performance on the job
- The Traction-Tred® D rungs are slip-resistant and the side rails are interlocking
- Has dual action feet for use on hard surfaces



LevelSafe Pro Automatic Leveler

PK100 (.1103821)

- Compatible for use with the following Werner ladder models: D1200-2, D1300-2, D500-2, D5900-2, D6000-2, D6200-2, T6200-2GS, D7100-2, 7100-2
- Easily attach to select Werner ladders to level ladder on uneven surfaces
- Additional 8.5" maximum automatic leveling height on all ladders
- Compatible for use with Werner ladders 225 lb. Type II - 375 lb. Type IAA duty rating
- The ladder's duty rating will remain the same upon installation
- 90-degree rotation of handles engages/disengages Micro-Adjust feature

SPECIAL ORDER ONLY!



HARRINGTON
A KITO GROUP COMPANY

TCL Series Lube Free Air Hoists

TCL Series lube free air hoists are able to operate without air supply lubrication which leaves the surrounding environment free of oil mist from the air exhaust. Our TCL series hoists are recommended for use in any area where oil mist cannot be tolerated such as in food, chemical or pharmaceutical industries. These hoists feature precise load positioning with either pendant or cord control.





TCE Spark Resistant Air Hoists

TCE-IIB Series air hoists are built with components that will reduce or eliminate risk of spark produced by impact or friction in heavy-duty industrial applications. Our TCE-IIB are Ex certified spark resistant to level II 2G Ex h IIB T4 Gb for gas and II 2D Ex h IIIB 130°C Db for dust and are in compliance with the ATEX Directive 2014 / 34 / EU.

LB Series Lever Hoist

The LB Series of lever hoists offers a low headroom, compact design that is perfect for use in tight quarters.

- Rugged, all-steel construction that actually weighs less than comparable aluminum models
- Grade 100 heat-treated load chain is nickel plated
- Test certificate verifies that every hoist has been factory load tested to 125% of rated capacity, in accordance with ASME B30.21 requirements
- Patented spring-loaded freewheel mechanism
- Weston-style load brake
- Top and bottom hooks rotate 360˚
- Forged and heat-treated alloy steel hooks.
- Rubber grip for non-slip operation



Catalog/Part #	Description
LB008-5 (.802790)	¾ Ton, 5' Lift
LB008-10 (.731535)	¾ Ton, 10' Lift
LB008-15 (.761836)	¾ Ton, 15' Lift
LB010-10 (.754830)	1 Ton, 10' Lift
LB010-15 (.835277)	1 Ton, 15' Lift
LB015-5 (.761838)	1½Ton, 5' Lift
LB015-10 (.731536)	1½ Ton, 10' Lift
LB015-15 (.766661)	1½ Ton, 15' Lift
LB015-20 (.722696)	1½ Ton, 20' Lift
LB020-5-LWH* (.802795)	2 Ton, 5' Lift
LB020-10 (.784146)	2 Ton, 10' Lift
LB020-15 (.849382)	2 Ton, 15' Lift
LB028-10 (.749632)	2¾ Ton, 10' Lift
LB030-10 (.684020)	3 Ton, 10' Lift
LB030-15 (.583245)	3 Ton, 15' Lift

*with Load Limit Warning Handle

Series 602-603 Mini Ratchet Lever Hoist

- Weston type braking system.
- Simple one-handed operation.
- Forged upper and lower hooks with latches standard.
- Impact resistant, all-steel frame, gear case and cover
- Metric rated.
- Hardened link-type alloy steel load chain for strength.
- Free wheeling feature serves to quickly attach the load.



Cat./Item #	Capacity	Lift
0210 (.349630)	550 lbs.	5 ft.
0214 (.700879)	550 lbs.	10 ft.
0215 (.702785)	1100 lbs.	5 ft.
0216 (.737386)	1100 lbs.	10 ft.

Series 653 Lever Operated Hoist

- Weston type braking system.
- Simple one-handed free chaining.
- Forged upper and lower hooks with heavy cast steel latches.
- 5-year warranty against defects in material and workmanship.
- Metric rated.
- Meets ASME B30.21 - Manually Lever Operated Hoist Standard and European CE Standard.



Item #	Capacity	Lift
5311 (.614595)	¾ ton	10 ft.
5312 (.706327)	¾ ton	15 ft.
5328 (.676277)	1 ton	5 ft.
5315 (.209979)	1½ ton	5 ft.
5316 (.138560)	1½ ton	10 ft.
5317 (.138869)	1½ ton	15 ft.
5321 (.767953)	3 ton	10 ft.

Series 622A Chain Hoist Series

- Durable steel frame with heat-treated, load-bearing components.
- Forged hooks swivel 360.
- Hand wheel cover with guide slots.
- Weston-type brake stays clean and dry.
- Hardened load chain for flexibility.
- Easy to operate, units feature pull forces as low as 50 lbs.

Item #	Capacity	Lift
2255A (.60798)	½ ton	10 ft.
2208A (.107970)	½ ton	15 ft.
2256A (.773056)	1 ton	10 ft.
2210A (.113926)	1 ton	15 ft.
2262A (.109459)	1 ton	20 ft.
2264A (.105786)	1 ton	30 ft.
2258A (.766566)	2 ton	10 ft.
2213A (.680642)	2 ton	15 ft.
2233A (.114469)	2 ton	20 ft.
2259A (.766567)	3 ton	10 ft.



Super Strong Anchor Shackles

CM Super Strong Shackles are carbon-type shackles with strength ratings that are up to 50% stronger than comparable-sized carbon shackles. These shackles are designed with a 6:1 safety factor. Anchor shackles can be side loaded or used for multiple connections.

- Shackles show major deformation before failure
- Manufactured from micro alloy steel for optimal strength
- Available in sizes 3/16” to 21/2”
- Permanent markings on body indicate working load limit
- Other styles available now by special order



Bolt, Nut & Cotter



Round Pin



Screw Pin

CALL FOR SIZES!



DUALIE ® 3AA Flashlight

68750 (.872790)



- 245 lumens (spot/flood combo)
- Division 1, Intrinsically safe
- Two beams that intersect for optimum path illumination and no blind spots

Enduro Pro Intrinsically Safe Headlamp

61424 (.974150)



- LED Technology for extreme bightness
- Spot beam creates peripheral illumination
- Flood beam allows for shadow free operation when on a hard hat
- 45° tilting head, IP67 rated design; waterproof to 1 meter for 30 minutes.

LED **Flashlight** w/ Clip

66318 (.782826)



- Alkaline Battery Powered, LED Pen Light
- 35 Lumens
- 30,000 Hour Lifetime
- Removable Pocket / Hat Clip
- 2 Hour 15 Minute Run Time

Argo LED Headlamp

61301 (.652854)



- Uses AAA-Cell Batteries
- Unbreakable Polycarbonate Lens
- LED Technology w/ 50,000 Hour Lifetime
- 150 Lumens for 3 Hours, 100 lumens for 4 1/2 hours, 45 lumens for 30 hours.

50’ LED String Light

7164SW (.925931)



- UL1088
- ROHS
- FCC/ICES Certified
- IP65 rated

Daisy chain up to 20 strings together
Total output of 4000 lumens per string

100’ LED String Light

7165SW (.925933)



- UL1088
- ROHS
- FCC/ICES Certified
- IP65 rated

Daisy chain up to 10 strings together
Total output of 8000 lumens per string

2 in 1 Dual Halogen Work Light w/ Tri-Pod

L14SLEDSW (.759608)



- (2) 500W halogen lights w/ dual pivoting heads
- Separate on / off switches for each fixture
- Adjustable tri-pod telescopes from 41” to 67”
- Sled base allowes light to be portable
- 18 / 3 5’ cord

48 LED Twin Head Worklight w/ Tri-pod

WL40236S (.819115)



- Two 24 LED high intensity lights
- Separate on / off switches for each fixture
- Telescoping tri-pod adjusts from 41” to 67”

100’ Heavy Duty Extension Cord 12 / 3

2589SW0002 (.52047)



- Ideal for both indoor and outdoor use
- The bright yellow jacket ensures visibility for safety and won’t leave marks
- Water-resistant vinyl jacket protects the cord from moisture, abrasion, and sunlight.
- Lighted end indicates when the power is on for added convenience.
-

Triple Outlet Adapter

09906 (.51362)



- Industry approval: ul listed
- Safety orange is bright on your jobsite
- For general purpose use indoors
- Converts one grounded indoor outlet into three
- This grounding adapter is perfect solution for needeing more outlets





Halo SL White
S100010-101 (.998237)

Lightweight, cordless and powerful flood task lighting system that connects securely to any hard hat

- Providing a 360° ring of light around the wearer, the Halo provides visibility up to a ¼ mile away in all directions
- Includes a 50-foot spotlight and is water-resistnt for submersion of up to 1 meter for a length of 30 minutes
- Includes a Spot Light and Task Lights that can provide 20 different lighting combinations
- Battery and charger included



S100010-101

Halo SL with Amber Brake Light
S100011_101 (.998240)



S100011-101

Halo SL with Red Brake Light
S100012_101 (.998241)



S100012-101

8 Bay Battery Charger
KLGC-01B-01 (.998243)

- Battery recharge time: Up to 7 hours
- Compatible with: Li-ion:26650, 22650, 18650, 18490, 17670, 17500, 16340, 14500, 10440
- Ni-MH, Ni-Cd:AA AAA AAAA C





2 Bay Battery Charger
HABC-01A-US (.998242)

- A universal charger for charging up to 2 rechargeable 18650 Lithium-Ion batteries
- Supports 100-240V
- Swappable plug supports various countries
- Batteries sold separately



2 Pack Lithium Ion Battery
HARB-01A-X2 (.998244)

- Battery Life: 5.5 hrs min at 20°C
- Battery recharge time: up to 5.5 hours with Halo charge
- Safety standard: IEC/UL 62133
- Certified by TUV

HALO™ IS

Intrinsically Safe Personal Lighting System

ILLUMAGEAR®



HALO IS Specifications:

Model: ..... Halo IS
(includes Halo IS, rechargeable battery & charger)

Dimensions: ..... 262 x 332 x 28.5 mm

Max Light: ..... 360° mode: 276 lumens

Spot Light: ..... 406 lumens

Task Light: ..... 262 lumens

Halo IS Weight: ..... 11 ounces

Battery Weight: ..... 2.5 ounces

Battery Type: ..... Single Lithium Ion cell; 3.5Ah

Battery Life: ..... 3.5 - 52 hours

Water Resistance: ..... Submersion up to 1 meter for 30 minutes

Dielectric Strength: ..... 30,000V (min)

IP67 - Dust-proof & Water Resistant

HALO IS Features:

- **Class I Div 1**
- **Intrinsically Safe**
- **Lightweight and cord-free**
- **360° visibility for a quarter-mile**
- **50-foot spotlight**
- **Powerful flood task lighting**
- **Compatible with any standard hard hat**
- **Battery life indicator**
- **Charger included**
- **On Halo Charger Port**
- **Removeable & Rechargeable Battery**
- **Matte Black**
- **Water resistant**

SKUs:

Halo IS - S100020-101









RIDGID

16 Gallon NXT Vac

62723 (.1010412)

- 2 ½ inch hose and locking accessories for large messes
- Integrated blowing port and built-in drain for added versatility
- Features the RIDGID lifetime warranty



RP350 Press Tool Kit

67053 (.1010841)

- Brushless motor capable of over 100,000 press cycles
- No scheduled maintenance
- Endless 360° head swivel for reaching tight spaces



460-12 Portable Tri-Stand Chain Vise

36278 (.834903)

- Integral folding legs for easy transport and setup
- Tool hangers and a base which overhangs the front legs for clear tool swing
- Designed for pipe threading and fabrication



1224 Threading Machine

26092 (.20296)

- An induction motor helps minimize noise
- A special capacitor-start / capacitor-run motor allows the 1224 to thread a full range of material where voltage drop is experienced
- 1/4" - 2" Universal Die Head; 21/2"-4" receding die head allows cutting of tapered or straight NPT/NPSM or BSPT/BSPT/BSPP threads



Seesnake Compact M40 Camera System w/ Trusense

63673 (.1045624)

- Self-leveling, 25mm camera head with (6) LEDs; HDR image sensor
- 131 ft length x 0.36in diameter (40m x 9.1mm); Moderate/Stiff Flexibility
- Line capacity: 1.5in to 6in
- FleXmitter Sonde (inside spring assembly): 512
- Hz Self-leveling camera head provides an upright image



CALL FOR PRICING & AVAILABILITY!

Heavy Duty Pipe Wrench



31005 (.10698) **8"**	31020 (.14858) **14"**
31010 (.12063) **10"**	31025 (.16193) **18"**
31015 (.13527) **12"**	31030 (.17480) **24"**

- Straight Pipe Wrenches have a sturdy, ductile-iron housing and an I-beam handle
- Full floating forged hook jaw
- Self-cleaning threads with replaceable hook and heel jaw



Pipe Working Tools



Wire Cage

5400 (.1007456)

- Door frames made of square tubing; much sturdier than the competition
- Lockable doors for added security
- Removable steel shelves that will also slide out for easy access to product



Chain Vise Stand

186 (.1030135)

- Pack of 1 Unit
- Heavy duty jaws provide strong grip and long life
- Collapsible tool tray provides stability when open and folds up for ease of transport

SPECIAL ORDER ONLY!



Pipe Wagon

458 (.880057)

- Transports up to 20’ lengths of pipe
- 1000 lb. capacity
- Large pneumatic tires move load with ease



V-Head Pipe Stand

436 (.1046477)

- 1/2” - 12” diameter pipe capacity
- 2500 lb. working load capacity per stand
- Quick height adjustment tube

SPECIAL ORDER ONLY!



Tri-Clamp Pipe Alignment Tool

302 (.1071701)

- 2” to 6” diameter
- Durable steel frame is ideal for job site use as well as shop use
- Strong and lightweight for increased productivity and long tool life

SPECIAL ORDER ONLY!



Pipe Rack

5050 (.10464748)

- Holds 1,000 lbs. total
- Dimensions: 58 1/2” L x 34” W x 61” H



PACKOUT™ Rolling Tool Box

48-22-8426 (.922848)



- Industrial grade extension handle
- IP65 rated weather seal
- Metal reinforced locking point
- Mounting location for the ONE-KEY™ TICK™

PACKOUT™ Crate

48-22-8440 (.1003184)



- Stack or hang
- 50 lb weight capacity
- Top attachment points for stacking full width PACKOUT™ components
- Integrated side handles for easy carrying

PACKOUT™ Tool Tray

48-22-8045 (.1042908)



- Store or stack
- 25 lb capacity
- Impact resistant body
- Quick-adjust dividers

M18 FUEL™ 7-¼" Circular Saw Kit

2732-21HD (.950910)



This kit includes:

- (1) Blade
- (1) Blade wrench
- (1) Contractor bag
- (1) M18™ REDLITHIUM™ HIGH OUTPUT™ HD12.0 battery pack (48-11-1812)
- (1) M18™ & M12™ rapid charger (48-59-1808)

M18™ Cordless Grease Gun Kit

2646-21CT (.818552)



This kit includes:

- (1) 48" flex hose w/ spring guard
- (1) High pressure grease coupler
- (1) Carrying case
- (1) Shoulder strap
- (1) M18™ cordless 2-speed grease gun (tool only) (2646-20)
- (1) M18™ & M12™ multi-voltage charger (48-59-1812)
- (1) M18™ compact REDLITHIUM™ battery (48-11-1815)

M18 FUEL™ SAWZALL® Rediprocating Saw Kit

2821-22 (.1011146)



This kit includes:

- (1) M18 FUEL™ SAWZALL® recip saw (2821-20)
- (2) M18™ REDLITHIUM™ XC5.0 extended capacity battery pack (48-11-1850)
- (1)M18™ & M12™ multi-voltage charger (48-59-1812)

M18 FUEL™ 4-½" / 5" Braking Grinder Kit

2882-22 (.1023568)



This kit includes:

- (1) T27 Guard
- (1) T1 Clip-on guard
- (1) Side handle
- (1) Back flange
- (1) Flange nut
- (1) M18 FUEL™ 4-1/2" / 5" braking grinder w/ONE-KEY™ paddle switch, no lock (2882-20)
- (2) M18™ REDLITHIUM™ HIGH OUTPUT™ XC6.0 battery pack (48-11-1865)
- (1) M18™ & M12™ rapid charger (48-59-1808)

M18 FUEL ½" Mid-Torque Impact Wrench Kit

2962-22R (.1057455)



This kit includes:

- (1) M18 FUEL™ 1/2" mid-torque impact wrench w/friction ring kit (2962-22R)
- (2) M18™ REDLITHIUM™ XC5.0 resistant battery (48-11-1850R
- (1) M18™ & M12™ multi-voltage charger (48-59-1812)
- (1) Blow molded case



M18 FUEL™ 14” Chainsaw (Bare Tool)

2727-20C (.1061524)

- POWERSTATE™ brushless motor: purposely built for the M18 FUEL™ 14” chainsaw to provide the power and performance of a gas engine up to 40CC
- Automatic oiler for proper chain lubrication
- Variable speed trigger for full control



M18 FUEL™ 16” Chainsaw Kit

2727-21HD (.944070)

This kit includes:

- (1) M18 REDLITHIUM™ HIGHT OUTPUT™ HD 12.0 battery pack (48-11-1812)
- (1) M18™ M12™ rapid charger (48-59-1808)
- (1) 16” oregon bar and chain
- (1) Scrench



M18™ Random Orbit Sander (Bare Tool)

2648-20 (.949473)

- 7,000-12,000 variable speed dial allows for user control over the tool
- Delivers up to 35 minutes of run time on a M18TM 3.0Ah battery pack
- 12,000 max OPM output



M12™ 23 Guage Pin Nailer (Bare Tool)

2540-20 (.1018641)

- Double-action trigger for seqential driving
- Compatible with 1/2” to 1-3/8” 23 guage headless pin nails
- Tool free drive depth adjustments





M18 FUEL™ Blower Kit

2724-21HD (.930536)

This kit includes:

- (1) M18 FUEL™ blower (Tool Only) (2724-20)
- (1) M18 REDLITHIUM™ HIGH OUTPUT™ XC8.0 battery (48-11-1880)
- (1) M18™ & M12™ rapid charger (48-59-1808)



M18 FORCE LOGIC™ Press Tool w/ ONE-KEY™ Kit

2922-22 (.1012596)

- Lightest, in-line design for unrivaled access
- Jaws compatible with Steamline™ ACR press fittings
- 1-1/8”-2” CTS Jaws Kit



SHOCKWAVE Impact Duty™ Drill & Drive Set - 60pc

48-32-4097 (.974328)

- WEAR GUARD TIP™ protects fit over the life of the bit
- CUSTOM ALLOY76™ Steel is engineered to extend bit life
- SHOCK ZONES™ are optimized in both length and width across all tip types for best performance across tip types



M12™ HammerVac Universal Dust Extractor Kit

2306-22 (.822021)

This kit includes:

- (1) M12™ HAMMERVAC™ Dust Extractor (2306-20)
- (1) M12™ Lithium-ion battery charger (48-59-2401)
- (2) M12™ REDLITHIUMTM CP1.5 Battery Pack (48-11-2401)
- (1) Carrrying Case , HEPA Filter, Nozzles (3) Side handle clamping collar assemblies



M12 Cordless Polisher (Bare Tool)

2438-20 (.940922)



- Accepts polishing bonnets and other abrasives to refine surfaces and add luster
- Removes light scratches, blend spot repairs back into the finish, and apply rubbing compounds and waxes for a shiny finish
- Commonly used for automotive detailing and metal finishing

M18 ROCKET™ Tower Light

2136-20 (.1019774)



- IP54 rated: water and dust resistant
- 3 independently pivoting light heads
- 5 second setup, 7’ extension

M18 ROVER™ Dual Power Flood Light

2366-20 (.1012589)



- 120° rotating light head for upwards and downwards lighting
- Powered by M18™ REDLITHIUM™ batteries or extension cord
- Integrated keyhole marking for fast mounting

M18 ROVER™ Mounting Flood Light

2365-20 (.925432)



- 1500 Lumens of TRUVIEW™ high definition output
- Up to 20 hours run-time
- Folding and rotating light head
- Impact Rating: Survives drops up to 9 feet

M18 ROCKET™ Dual Power Tower Light

2131-20 (.868917)



- Dual power: powered by M18 or extension cord
- TRUEVIEW™ high definition output provides neutral white color and produces an even beam pattern for clearer visibility
- Impact resistant, reinforced legs

BOLT REDLITHIUM™ USB Headlamp

2118-21 (.1056988)



- Low-profile design for face shield clearance
- 4 Light output modes: Flood High Mode: 600 lumens- 4 hours, Medium Mode: 400 lumens - 8 hours, Low Mode: 150 lumens - 14 hours, ECO Mode: 25 lumens - 32 hours
- Flexible wire routing design for full functionality of all bolt accessories

M18 RADIUS™ Compact Site Light

2144-20 (.942130)



- 2,200 Lumens of TRUEVIEW™ high definition output
- Task, area, and overhead lighting
- High impact polycarbonate lens
- 4-¼” Hanging hook for overhead lighting
- Has flood mode





20v Max* LED Hand Held Area Light

DCL050 (.846580)



- High 1000 Lumens and low 300 Lumens brightness settings
- 140 degree pivoting head provides versatility for lighting work surafeces
- Built in telescoping and 360-degree rotating hook allows unit to hang



60V MAX* FLEXVOLT Brushless Handheld Axial Blower

DCBL772B (.975875) **Bare Tool**
DCBL772X1 (.975876) **Kit - Includes (1) 9.0Ah battery and charger**

- High-efficiency brushless motor helps extend runtime
- Powers through debris at up to 600 CFM of air volume at 125 MPH
- Designed to withstand everyday heavy-duty usage

20V MAX* 550 PSI Cordless Power Cleaner (Bare Tool)

DCPW550B (.1021691)



- Take on a wide variety of cleaning tasks with 550 MAX psi* and 1.0 gpm**
- Convenience and Portability: Cordless cleaning tool delivers 10X the power of a garden hose
- On-the-go adaptability to draw water from any fresh water source

FLEXVOLT 60V MAX* Brushless Chainsaw

DCSS670B (.957090) **Bare Tool**
DCCS670X1 (.907798) **Kit - Includes (1) 9.0Ah battery and charger**

- Tool-free chain tensioning for quick and easy chain adjustments



20V MAX* XR ® Cordless Cable Stripper (Bare Tool)


DCE151B (.916544)



- Depth gauge consistently strips cables up to 4”
- Strip #6 - 750 MCM Cu/900 MCM Al cable
- Quick release bushings allow you to quickly change bushings for each cable size

4pc 6-in-1 Driver Nutsetter

DW2330 (.745425)



- Quickly changes between 6 drivers to increase speed
- Stores all 6 drivers in 1 holder to eliminate frustration of losing bits
- Includes most common geometries which is ideal for applications where multiple geometries are needed

12V MAX* Xtreme Drill / Impact Kit

DCK221F2 (.1006143)



- DCD701 12V MAX* Brushless 3/8” drill/driver has 32% more power**
- DCD701 12V MAX* Brushless 3/8 in. drill/driver is 20% shorter**
- Brushless motor for maximum runtime and durabilit*

FLEXVOLT MAX* Angle Grinder w/ Kickback Brake Kit

DCG418X2 (.1000301)

This kit includes:

- (1) DCG418 60V MAX* Brushless 4-1/2 in. - 6 in. Cordless Grinder
- (1) 6 in. (150mm) Type 27 Guard
- (2) DCB609 FLEXVOLT 9.0Ah Battery
- (1) Wrench
- (1) Charger
- (2) Flanges
- (1) Side Handle
- (1) Kit Bag
- (1) 4-1/2 in. (115mm) Type 27 Guard



10pc ½" Drive Deep Metric Socket Set

DWMT73815 (.1073905)

- Lockable stacking cases
- Durable transparent lid
- Removable internal tray



20V MAX* Brushless Cordless Rotary Hammer Kit

DCH293R2 (.904830)



• 3.5 joules of impact energy for fast drilling in concrete
• Anti-Rotation E-CLUTCH System protects the user in bind up situations by stopping the rotation of the bit
• Lightweight design makes this tool ideal for structural connections, beam & column anchorage, rod hanging, seismic & safety attachments, cable tray & strut mounting, and steel stanchion mounting

TSTAK® V - Organizer w/ Clear Lid

DWST17805 (.826390)



- 44lb load capacity
- Side latches allow connectivity for easy carrying and safe stacking
- Removable compartments for small parts

ToughSystem® DS130

DWST08130 (.963247)



• Structural foam material gives robust structure to the case
• Storage pockets on the lid and 4 removable cups allow for storing small parts
• Side latches allow the product to be stacked to other modules of the ToughSystem storage line

20V MAX* LED Hand Held Worklight

DCL044 (.893647)



• Bright LED output - 165 Lumens
• Powerful magnet - hands free use in multiple placements
• Kick stand, belthook, hanging, hands free use in multiple placements
• Head Rotates 360 degrees and pivots

ATOMIC COMPACT SERIES™ MAX* Brushless Ratchet

DCF513B (.1059347)

- Engineered for high torque and verstatility: brushless motor delivers up to 70 ft-lbs of torque for use with a wide variety of fastener sizes and applications
- Helps combat damage caused by some oils and solvents with glass-filled nylon housing



12V/20V MAX* Jobsite Bluetooth Speaker

DCR010 (.964946)



• Dual speakers for rich stereo sound
• Bluetooth® connectivity - 100' range
• Convenient carry handle with phone holder

TSTAK® VI - Deep Box

DWST17806 (.825589)



• Flexible Platform allows different combinations
• All units can stack one on top of the other and connect with durable side latches
• Built in bi-material handle
• Removable compartments for small parts

20V MAX* Cordless Tripod Light (Kit)

DCL079R1 (.935289)



- Built to light your workspace in the toughest jobsite conditions
- LED technology that provides extended run time and natural white light
- Variable brightness settings include 3000 lumens on high mode
- includes 20V MAX* 6Ah battery and charger

All Purpose Cordless Work Light (Tool Only)

DCL074 (.966423)



• LED provides natural white light for jobsite illumination
• Set up with freestanding or hanging via hook
• Durable impact-resistant design stands up to jobsite conditions
• IP-54 rating for weather and dust resistance



BOSCH
Invented for life

PROFACTOR 18V ½" Impact Wrench w/ Friction Ring

GDS18V-740N (.1090349)



- Delivers high torque for breaking free stuck bolts and driving large fasteners quickly
- Up to 740 Ft.-Lbs. of fastening torque and 1,180 Ft.-Lbs. of max breakaway torque
- Limit max torque and speed with three settings (0-800/1,200/1,750 rpm)
- Featuring a brushless high-performance motor and drive-train system
- LED light illuminates dark work areas, turns on with tool activation, can be disabled via user interface

5" Concrete Surfacing Grinder

CSG15 (.945676)



- Lowest weight of any 4-Hp large angle grinder
- New vibration control Side and Main Handles - 50% vibration Reduction
- 8,500 RPM- optimized for 7-Inch wheels - up to 20-Percent longer wheel life than 6,000 RPM
- Features new power coated stator and epoxy coated windings - ultimate protection against dust and debris
- 5/8-In. to 11 spindle — wide flexibility for mounting most popular accessories
- No lock-on switch design – helps prevent accidental start ups and shuts tool off if control is lost

12" Corded Dual-Bevel Sliding Glide Miter Saw

GCM12SD (.876596)



- 12 In. Dual-Bevel Glide miter saw that features a smooth cutting motion, accurate performance and a space-saving design of the Bosch-exclusive Axial-Glide system
- Pre-aligned SquareLock fences help the saw maintain precision throughout its life
- A soft-grip ambidextrous handle along with a combination dust chute and vacuum adapter add to user comfort

Inline 15 Amp SDS-Max Demolition Hammer w/ Vibration Control

DH1020VC (.929875)




- In-line design – better weight distribution for concrete chiseling and light-duty demolition in horizontal applications
- Best-in-class impact energy – 17 Ft.-Lbs. provides maximum concrete removal for productivity
- 15.0 Amp demo hammer delivers 1,700 BPM at 25.1 Lbs. weight
- Vibration Control technology reduces vibration in hammer mechanism and at handle for improved comfort in all-day demolition applications

Breaker Hammer

11335K (.833104)



- 22 Ft.-Lbs. of impact force at 38 Lbs. of weight for great removal rate
- Vibration Control technology gives shock reduction in hammer mechanism and at handle
- 360° articulating auxiliary handle
- 2 Way Tool Retainer - accepts standard 1-1/8 In. (28 mm) hex, air tool steel with retaining collar or Bosch internal locking combo steel





AR/FR DUAL-CERTIFIED WORKWEAR

DEPENDABLE COMFORT AND PROTECTION



FR Ripstop Long Sleeve Workshirt

385-FRRS
S–5XL

- 6oz. Modacrylic/Cotton/Aramid blend
- Ripstop material provides added durability and tear resistance
- ARC Rating: ATPV 9 cal/cm²
- Dual-certified to NFPA 70E (ASTM F1506) and NFPA 2112-2023 standards

Colors Available:
Navy | Tan | Gray



Long Sleeve Henley

385-FRHN
S–5XL

- 6.5 oz 100% cotton interlock knit FR
- ARC Rating: ATPV 10.6 cal/cm²
- Aramid high-tenacity FR thread
- Dual-certified to NFPA 70E (ASTM F1506) and NFPA 2112-2023 standards

Colors Available:
Navy | Gray | Orange | Tan



Economy Coverall with Zipper Closure

9100-2000E
S–5XL

- 7 oz. 100% FR cotton
- ARC Rating: ATPV 9 cal/cm²
- 2-way front brass zipper on aramid tape
- Dual-certified to NFPA (ASTM F1506) and NFPA 2112-2023 standards

Colors Available:
Navy | Tan | Gray



Stretch Jeans

385-FRSJ
Waist: 29"- 54";
Inseam: 30", 32", 34", 36"

- 10.5oz FR denim / 2% spandex
- ARC Rating: ATPV 13.1 cal/cm²
- Added spandex provides increased mobility and comfort
- Dual-certified to NFPA 70E (ASTM F1506) and NFPA 2112-2023 standards

Colors Available:
Blue

PIP GLOBAL SAFETY

PROTECTIVE INDUSTRIAL PRODUCTS, INC.
www.pipusa.com



Rubber Insulating Gloves



▲150-0-11
STRAIGHT CUFF



▲147-00-11
STRAIGHT CUFF



▲150-2-14
STRAIGHT CUFF



▲170-0-14
STRAIGHT CUFF



▲154-2-16
BELL CUFF



▲162-4-18
CONTOUR CUFF

NOVAX® Straight Cuff

STYLE NUMBER	CLASS	COLOR	LENGTH	SIZES
147-00-11	00	Orange	11"	7 - 12
150-00-11	00	Black	11"	7 - 12
153-00-11	00	Red	11"	7 - 12
170-00-11	00	Yellow	11"	7 - 12
150-00-14	00	Black	14"	7 - 12
170-00-14	00	Yellow	14"	7 - 12
147-0-11	0	Orange	11"	7 - 12
150-0-11	0	Black	11"	7 - 12
153-0-11	0	Red	11"	8 - 12
155-0-11	0	Black/Orange	11"	7 - 12
170-0-11	0	Yellow	11"	7 - 12
150-0-14	0	Black	14"	7 - 12
170-0-14	0	Yellow	14"	7 - 12
147-1-14	1	Orange	14"	7 - 12
150-1-14	1	Black	14"	7 - 12
153-1-14	1	Red	14"	7 - 12

STYLE NUMBER	CLASS	COLOR	LENGTH	SIZES
155-1-14	1	Black/Orange	14"	7 - 12
147-2-14	2	Orange	14"	7 - 12
150-2-14	2	Black	14"	7 - 12
152-2-14	2	Black/Yellow	14"	7 - 12
153-2-14	2	Red	14"	7 - 12
155-2-14	2	Black/Orange	14"	7 - 12
156-2-14	2	Black/Red	14"	7 - 12
170-2-14	2	Yellow	14"	7 - 12
152-2-16	2	Black/Yellow	16"	8 - 12
155-2-16	2	Black/Orange	16"	8 - 12
152-2-18	2	Black/Yellow	18"	8 - 12
155-2-18	2	Black/Orange	18"	8 - 12
155-3-16	3	Black/Orange	16"	8 - 12
155-3-18	3	Black/Orange	18"	9 - 12
155-4-16	4	Black/Orange	16"	9 - 12
155-4-18	4	Black/Orange	18"	9 - 12

NOVAX® Bell Cuff

STYLE NUMBER	CLASS	COLOR	LENGTH	SIZES
154-2-16	2	Black/Yellow	16"	8 - 12
159-2-16	2	Black/Orange	16"	9 - 12
161-2-16	2	Black/Red	16"	8 - 12
154-2-18	2	Black/Yellow	18"	8 - 12
159-2-18	2	Black/Orange	18"	9 - 12
161-2-18	2	Black/Red	18"	8 - 12
154-3-16	3	Black/Yellow	16"	8 - 12
159-3-16	3	Black/Orange	16"	9 - 12
161-3-16	3	Black/Red	16"	9 - 11
159-3-18	3	Black/Orange	18"	9 - 12
154-4-16	4	Black/Yellow	16"	9 - 11
159-4-16	4	Black/Orange	16"	9 - 12
161-4-16	4	Black/Red	16"	9 - 11
159-4-18	4	Black/Orange	18"	9 - 12

NOVAX® Contour Cuff

151-2-18	2	Black/Yellow	18"	8 - 12
158-2-18	2	Black/Orange	18"	8 - 12
162-2-18	2	Black/Red	18"	8 - 12
151-3-18	3	Black/Yellow	18"	9 - 12
158-3-18	3	Black/Orange	18"	8 - 12
162-3-18	3	Black/Red	18"	9 - 12
151-4-18	4	Black/Yellow	18"	9 - 12
158-4-18	4	Black/Orange	18"	9 - 12
162-4-18	4	Black/Red	18"	9 - 11

STRONG, FLEXIBLE, DURABLE AND DIELECTRIC

Labeling

CLASS COLOR	NOVAX® GLOVE LABEL	TEST AC VOLTS	USE AC VOLTS	USE DC VOLTS
CLASS 00	10 NOVAX™ by G.B. INDUSTRIES ANSI / ASTM D120 CLASS 00 TYPE I MAX USE VOLT 500V AC	2,500	500	750
CLASS 0	10 NOVAX™ by G.B. INDUSTRIES ANSI / ASTM D120 CLASS 0 TYPE I MAX USE VOLT 1000V AC	5,000	1,000	1,500
CLASS 1	10 NOVAX™ by G.B. INDUSTRIES ANSI / ASTM D120 CLASS 1 TYPE I MAX USE VOLT 7500V AC	10,000	7,500	11,250
CLASS 2	10 NOVAX™ by G.B. INDUSTRIES ANSI / ASTM D120 CLASS 2 TYPE I MAX USE VOLT 17000V AC	20,000	17,000	25,500
CLASS 3	10 NOVAX™ by G.B. INDUSTRIES ANSI / ASTM D120 CLASS 3 TYPE I MAX USE VOLT 26500V AC	30,000	26,500	39,750
CLASS 4	10 NOVAX™ by G.B. INDUSTRIES ANSI / ASTM D120 CLASS 4 TYPE I MAX USE VOLT 36000V AC	40,000	36,000	54,000

Standards and Regulations

OSHA

29CFR part 1910 (Occupational Safety and Health Standards)

ASTM

ASTM D120-22 (Rubber Insulating Gloves)
ASTM F496-20 (In-Services Care of Insulating Gloves and Sleeves)
ASTM F696-06 (Leather Protectors for Rubber Insulating Gloves and Mittens)
ASTM F1236-19 (Visual Inspection of Electrical Protective Rubber Products)
ASTM D1051-19 (Rubber Insulating Sleeves)
ASTM D1048-20 (Rubber Insulating Blankets)

NFPA

National Electric Safety Code
NFPA 70E (Electrical Safety in the Workplace - General Workplaces)

HI-VIS REVERSIBLE PUFFER VESTS



BISLEY HI-VIS REVERSIBLE PUFFER VEST

- Waterproof outer shell fabric
- Waterproof rating up to 20,000mm H20
- Reversible style (2 in 1 look) reverse look in black
- Quilted with polyester insulation for extra warmth
- Two waist hand warmer pockets on each side
- Heavy-duty two-way zipper front opening

ITEM NUMBER	COLOR	SIZE
332M0330H-YEL	Hi-Vis Yellow	S - 4XL

ANSI 107 TYPE/CLASS R2

50+ UPF

REVERSIBLE



BISLEY WOMEN'S HI-VIS REVERSIBLE PUFFER VEST

- Waterproof outer shell fabric
- Waterproof rating up to 20,000mm H20
- Reversible style (2 in 1 look) reverse look in black
- Quilted with polyester insulation for extra warmth
- Two waist hand warmer pockets on each side
- Heavy-duty two-way zipper front opening

ITEM NUMBER	COLOR	SIZE
332W0330H-YEL	Hi-Vis Yellow	S - 3XL

ANSI 107 TYPE/CLASS R2

50+ UPF

REVERSIBLE

HI-VIS REVERSIBLE PUFFER JACKETS



BISLEY HI-VIS REVERSIBLE PUFFER JACKET

- Waterproof outer shell fabric
- Waterproof rating: Up to 15,000mm H_2O
- Reflective tape with biomotion taping on sleeves
- Reversible style (2 in 1 look) reverse look in black
- Embroidery access zipper at side seam
- Quilted with polyester fiberfil for extra warmth
- Two waist hand warmer pockets on each side
- Heavy-duty two-way zipper front opening

ITEM NUMBER	COLOR	SIZE
333M6350H-YEL	Hi-Vis Yellow	S - 4XL
333M6350H-OR	Hi-Vis Orange	S - 4XL

ANSI 107 TYPE/CLASS R3

50+ UPF

REVERSIBLE



BISLEY WOMEN'S HI-VIS REVERSIBLE PUFFER JACKET

- Waterproof outer shell fabric
- Waterproof rating: Up to 15,000mm H_2O
- Reflective tape with biomotion taping on sleeves
- Reversible style (2 in 1 look) reverse look in black
- Embroidery access zipper at side seam
- Quilted with polyester fiberfil for extra warmth
- Two waist hand warmer pockets on each side
- Heavy-duty two-way zipper front opening

ITEM NUMBER	COLOR	SIZE
333W6350H-YEL	Hi-Vis Yellow	S - 3XL
333W6350H-OR	Hi-Vis Orange	S - 3XL

ANSI 107 TYPE/CLASS R3

50+ UPF

REVERSIBLE

HI-VIS REVERSIBLE JACKETS







BISLEY HI-VIS 5-IN-1 RIPSTOP JACKET

- Breathable waterproof 300D polyester ripstop with PU coating
- Reflective taped H pattern with biomotion configuration on sleeves
- ANSI Type R Class 3 Outer Jacket
- ANSI Type R Class 2 Inner Jacket
- Navy bottom helps to hide dirt
- Removable hideaway hood
- Heavy-duty two-way zipper front opening

ITEM NUMBER	COLOR	SIZE
333M6375H-YL	Hi-Vis Yellow	S - 5XL
333M6375H-OR	Hi-Vis Orange	S - 5XL

BISLEY WOMEN'S HI-VIS 5-IN-1 RIPSTOP JACKET

- Breathable waterproof 300D polyester ripstop with PU coating
- Reflective taped H pattern with biomotion configuration on sleeves
- ANSI Type R Class 3 Outer Jacket
- ANSI Type R Class 2 Inner Jacket
- Navy bottom helps to hide dirt
- Removable hideaway hood
- Heavy-duty two-way zipper front opening

ITEM NUMBER	COLOR	SIZE
333W6375H-YL	Hi-Vis Yellow	S - 3XL
333W6375H-OR	Hi-Vis Orange	S - 3XL

BISLEY HI-VIS BOMBER JACKET WITH BUILT-IN PADDED LINING

- Waterproof and breathable fabric
- Waterproof rating: up to 20,000mm H_2O
- All seams are seam sealed
- Quilted insulation for extra warmth
- Two waist inseam hand warmer pockets
- Two pen pockets on left hand side sleeve
- Knit ribbed neck band, sleeve cuffs and hem

ITEM NUMBER	COLOR	SIZE
333M6730T -YLNV	Hi-Vis Yellow	S - 4XL

HI-VIS JACKETS



BISLEY HI-VIS SOFT SHELL BOMBER JACKET

- Water-resistant fabric with breathable membrane
- Waterproof rating: up to 10,000mm H_2O
- Segmented reflective tape with biomotion taping on sleeves
- Bonded internal fleece face
- Fleece lined body for warmth
- Right hand side chest pocket with waterproof zipper
- Two waist pockets with zip closure
- Ribbed hem and sleeves cuffs to retain warmth
- Chin guard zip stopper

ITEM NUMBER	COLOR	SIZE
333M6979T-YEL	Hi-Vis Yellow	S - 4XL
333M6979T-OR	Hi-Vis Orange	S - 4XL





BISLEY WOMEN'S HI-VIS SOFT SHELL BOMBER JACKET

- Water-resistant fabric with breathable membrane
- Waterproof rating: Up to 7,500mm H20
- Reflective tape and biomotion taping on sleeves
- Eyelet ventilation under arms for breathability
- Bonded internal fleece
- Two waist pockets with waterproof zippers
- Sleeve cuff adjusters reduces water entering over wrist

ITEM NUMBER	COLOR	SIZE
333W6059T-YLNV	Hi-Vis Yellow	S - 4XL
333W6059T-ORNV	Hi-Vis Orange	S - 4XL



RADIANS

Cut Protection Cold Weather Glove



RWG605M (.986376) **Medium**
RWG605L (.986377) **Large**
RWG605XL (.986378) **Extra Large**

- Provides EN388 level 5 protection and ANSI level 4 protection against cuts
- Features a 13 gauge knitted HPPE outer shell with a smooth blue latex coating and a 7 gauge Acrylic inner shell to provide extra protection and comfort
- The palm has a black foam latex coating that provides excellent protection from abrasion in wet or dry, cold weather conditions

Economy Bomber Jacket Hi-Viz Green / Black



SJ11QB-3ZGS **Sizes S-5XL Available**

- Quilted liner 160g/m2
- PU coated oxford polyester weatherproof sh
- Concealed attached hood
- Color blocked bottom
- 2" silver reflective tape
- Elastic waistband and wrist cuffs
- Mic tabs on both shoulders

SPECIAL ORDER ONLY!

Nordic Blaze® Thermal Hard Hat Liner



RWL19 (.1050867)

- Outer Layer blocks out wind
- Dual Layer Liner allows for added warmth
- Inner Nordic Fleece Thermal Layer keeps in heat
- Lightweight, Ergonomic Design for added comfort
- Hook & Loop closure attaches to internal hard hat system
- Chin Strap for stability while wearing hard hats

Lens Cleaning Towelettes



LCD100 (.995883)

- Easy to use disposable lens cleaning towelettes
- Lens cleaning towelettes and stations prevent fogging and reduce static
- Excellent for cleaning glass, plastic and polycarbonate
- Respirator cleaning wipes available in an alcohol free option

Cut Protection Dipped Winter Gripper Glove



RWG27M (.960306) **Medium**
RWG27L (.960307) **Large**
RWG27XL (.960308) **Extra Large**

- Provides ANSI level A3 protection against cuts
- 80% acrylic, 20% polyester inner liner
- Seamless elastic slip-on cuff
- Tested to EN388 standards for abrasion, cuts, tear and puncture (1 2 3 1)
- 7 gauge high visibility yellow polyester shell with a blue crinkle latex coating

Type R Class 3 Quilted Parka Hi-Vis Green / Black



SJ411QB-3ZGS **Sizes S-5XL Available**

- PU coated oxford polyester shell with quilted lining
- Color blocked bottom to help conceal dirt
- Shirt tail hem with extended back for coverage
- ETP™ snap closure collar
- Attached, concealable hood
- Mic tabs on both shoulders
- Zipper front with storm flap protects from wind and elements

SPECIAL ORDER ONLY!

Nordic Blaze® Dual Layer Thermal Hard Hat Liner



RWL17 (.1050866)

- Inner Nordic Fleece Thermal Layer keeps in heat
- Quilted Outer Layer blocks out chilly weather
- Hook & Loop Neck Closure for added protection
- Hook&Loop closure attaches to internal hard hat
- Extended Ergonomic Design for head and neck protection





MCR SAFETY

Split Leather Palm Work Glove

1200 (.111375) **Medium**
1200S (922027) **Large**
1200XL (.678004) **Extra Large**



- Can withstand abrasion, puncture, and heat
- 2.5-inch rubberized safety cuff
- C-grade shoulder leather
- Gray fabric with red striped back

Checklite® CL1 Series Safety Glasses

CL110 (.725196) **Clear Coated**
CL112 (.725197) **Grey Crews**
CL119 (.725199) **I/O Clear Mirror**
CL110AF (.770773) **Clear AF Crews**





- Exclusive Duramass® scratch resistant coating
- Good for everyday use or a new visitor spec
- Filters 99.9% of harmful U.V. rays
- Lightweight glasses (22.9 grams) are good for long term wear

6mil Nitrile Disposable Black Glove

6016BM (.992300) **Medium**
6046BL (.976023) **Large**
6016BXL (.931187) **Extra Large**



- 9.5 inches in length
- Ambidextrous
- Component materials comply with all relevant federal regulations for food contact
- Tested in accordance with ASTM D6978 and approved for exposure with Fentanyl Drugs

Ninja Ice® Insulated Work Gloves

N9690S (.793843) **Small**
N9690M (.812456) **Medium**
N9690L (.758961) **Large**
N9690XL (.757499) **Extra Large**
N9690XXL (.850684) **XXL**



- Acrylic terry liner for insulation and warmth
- Coating remains soft in temperatures as low as -4°F
- The porous HPT coating w/ Anti-Wet treatment repels liquid for a firm grip in wet or dry conditions

Clear Bear Kat Safety Glasses

BK110 (.730467) **Clear**
BK112 (.725400) **Gray**





- Non-Slip soft temple material
- Scratch resistant coating
- Integral side shields for unobstructed view
- Rugged polycarbonate lens filters 99.9% of harmful U.V. rays



3M

H-800 Series Full Brim Hard Hat

H-801SFR-UV (.816112) **White**
H-803SFR-UV (.1060998) **Blue**
H-804SFR-UV (.816785) **Green**
H-805R (.816113) **Red**
H-807SFR-UV (.816501) **Hi-Viz Orange**
H-89SFR-UV (.816114)) **Hi-Viz Yellow**



- Ratchet Suspension, non-vented
- Absorbent brow pad
- meet ANSI/ISEA Z89.1-2009 Type I Class C, G and E requirements
- Works with a variety of 3M faceshields, ear-muffs, and other accessories

N95 Particulate Respirator

8210 (.55253)



- NIOSH approved for at least 95 percent filtration efficiency against certain non-oil based particles
- Lightweight construction promotes greater worker acceptance and may help increase wear time
- Two-strap design with welded dual point attachment helps provide a secure seal

Yellow Neon Uncorded Ear Plugs 200/bx

312-1250 (.131858)



- Neon coloring makes it easier for supervisors and inspectors to confirm workers safety compliance
- Slow-recovery foam designed for a more comfortable insertion and removal

Centurion™ Anti-Fog Safety Splash Goggles

454AF (.1048500)



- Tapered shape and smooth soft texture for fit and comfort
- Available with and without cords
- Available in two sizes-regular and large

SecureFit™ Safety Helment ANSI Non-Vented

X5001 (.986481)



- Reduces forehead pressure by 20% on average compared to 3M conventional helmets
- Smooth, easy-turning ratchet suspension system sits low on the head for greater comfort and security
- Proprietary UV indicator that lets wearer know when to replace helmet due to UV exposure

Orange Corded Foam Ear Plugs

1110 (.52008)



- Tapered shape
- Smooth, dirt-resistant surface
- Corded for convenience and to prevent los of earplugs
- Noise Reducing Rating: 29 Decibels

Clear Scotchgard™ Anti-Fog Lens 20/Case

S1201SGAF-KT (.998559)



- Removable padded temples and foam gasket
- Anti-fog lens coating allows for use in wet and humid environments
- Effortlessly prevent debris from entering the eye area for added safety in a variety of industries

SecureFit™ Safety Helment ANSI Vented

X5001V (.1039136)



- Suspension system incorporates exclusive patented Pressure Diffusion Technology
- Works with a variety of 3M faceshields, earmuffs, and other accessories.
- Meets ANSI Z89.1.
- Vents on sides and back are designed to allow airflow through the hard hat

---

First Aid Kit

90754 (.896976) **10 Person**
6086 (.12246) **25 Person**
6450 (.11145) **50 Person**



- Rugged steel case contractor's first aid kit
- OSHA compliant box has easy carry handle or is wall mountable
- Contains all required items from ANSI Standard Z308. 1-2009

10 Person Vehicle First Aid Kit

6400 (.743134)



- Sold as a kit with 76 items
- Rugged weatherproof steel case keeps contents free of dust and moisture
- OSHA compliant box has easy carry handle or is wall mountable

25 Person Weather Proof First Aid Kit

6430 (.768650)



- Comes in plastic weatherproof case to keep contents free of moisture and dust
- Includes mounting holes in the handle for mounting the case on a wall or other flat vertical surface
- Compact and portable in a weatherproof, type III plastic case



CHAMPION CUTTING TOOL CORP

Tap and Die Set ** NEW **

CS40P-A (.1096437)



- Cut Clean, Precise Threads In Metal
- Industrial Performance Set - UNC / UNF Sizes
- High Speed Steel Plug Taps, Hex Dies
- Ratcheting Style Wrench - Better Torque Control, Forward / Reverse Operations

VariBrute Magnetic Drill Press

AC42 (.1064139)



- 5 cutting operations - 1 mag drill
- Engineered for heavy duty use
- Cutter capacity: 1-½" diam x 2" depth
- Twist drill capacity - 1"
- Tap capacity - ¾"
- Use with annular cutters, twist drills, reamers, taps and countersinks

SPECIAL ORDER ONLY!

29Pc Heavy Duty Twister Drill Set

TWISTER-XL28 (.857854)



- 1⁄16" thru ½" x 64ths
- 135° self-centering split point
- Flatted shank for secure fit in keyless drill chucks
- The solution for drilling hard steel and stainless steel
- Shorter, mechanics length for enhanced operator control



CT7 Series Carbide Tipped Hole Cutters

CT7 **- Multiple Sizes**



- Drill fast, accurate holes through steel up to 1" inch depth
- Ultra-sharp tungsten carbide teeth cut quick, smooth, perfectly round holes
- Flatted shank for use in power drills and drill presses
- Sizes available: 9⁄16", 5⁄8", 11⁄16", 3⁄4", 13⁄16", 7⁄8", 15⁄16", 1", 1 1⁄16", 1 1⁄8", 1 3⁄16", 1 1⁄4", 1 5⁄16", 1 3⁄8", 1 7⁄16", 1 1⁄2", 1 9⁄16", 1 5⁄8". 1 11⁄16", 1 3⁄4", 1 13⁄16", 1 7⁄8", 1 15⁄16", 2", 2 1⁄8", 2 1⁄4" 2 3⁄8", 2 1⁄2" 2 9⁄16", 2 5⁄8", 2 3⁄4", 2 7⁄8", 3" 3 1⁄4", 3 1⁄2", 3 5⁄8", 3 3⁄4", 4", 4 1⁄8", 4 1⁄4", 4 1⁄2"

8Pc Titanium Bar Kit

BK8P (.863746)



- Includes Sizes: SA5, SC3, SC5, SD5, SF3, SF5, SG3, SL4
- De-Bur Ferrous Metals - steel, stainless steel, titanium, cast iron
- TiN (titanium nitride) coated for superior surface finish and long tool life
- For use in rotary die grinder

NORSEMAN DRILL & TOOL

SR-3G Gold Step Reamer Set 3Pc

83750 (.1028978)



- Sizes include: 5⁄16" – 1 1⁄16"
- Low temperature stress relief that enhances lubricity, reduces friction and increases toughness
- Quickly start, to enlarge and deburr holes in materials up to ½" thick
- Step reamers has five hole enlargements steps accurate hole enlargement

CR-4FS Car Reamer Set 4Pc

12271 (.1028977)



- Premium High Speed Steel Car Reamer Fast Spiral 3-Flats on Shank
- Includes: 3⁄8", ½", 5⁄8", ¾" spiral flute reamer
- Reamers designed for enlarging previously formed or drilled holes

NORSEMAN
DRILL & TOOL

Vortex 175-VT 29Pc Bit Set

22903 (.1025505)

- Drill sizes 1⁄16” - ½” by 64ths
- Reliable high-density plastic
- Weatherproof, watertight & unbreakable



29Pc Ultra Cut Drill Bit Set Orange Case

46962 (.871299)

- ⅜” with flats on Shank
- 135 degree split point
- Orange Ultra-dex bit case
- Jobber length type bits



29Pc Ultra Cut Drill Bit Set

46952 (.748444)


- 1⁄16” – ½”
- 135 degree split point
- Ultra-dex bit case
- Jobber length type bits



BR-10SQX Screw & Bolt Extractor Set 10Pc

35491 (.1020865)

- Square Extractor Sizes: #1, #2, #3, #4, #5
- Drill Bits: 3⁄32”, ⅛”, 3⁄16”, ¼”, 5⁄16”
- M7 Steel, Machine Length, Left Handed Bits
- 135 Degree Split Point - Prevents Bit Walking



freud DIABLO

16Pc SpeedDemon Spade Bit Set

DSP2980-S16 (.999646)



- Provides one of the fastest, most effortless hole drilling solutions on the market for fast, clean wood
- The high-performance SPEED-TIP design self-feeds for faster hole making when compared to traditional spade bits
- Set includes 16 bits: ¼”, 5⁄16”, ⅜”, 7⁄16”, ½, 9⁄16”, ⅝”, 1 1⁄16”, ¾”, 13⁄16”, ⅞, 1”, 1⅛”, 1¼”, 1⅜” and 1½”

45Pc Screwdriving Bit Set

DSC-S45 (.1000900)



- Extreme durability and impact resistance up to 50X longer life versus standard drive bits
- Magnetic nut setters and drive bit holder includes a permanent magnet to eliminate wobbling by securely gripping screws and hex nuts
- Optimized tip design reduces wear, minimizes breakage and prevents slippage

Jig Saw Blade Set for Wood & Metal

DJT10S (.998876)



- 10-Piece Wood and Metal Set provides up to 25% in savings
- T-shank design fits all combo and most U-shank jig saws

3Pc Impact Step Drill Bit Set

DSDS003 (.1077766)



- 3-piece set savings up to 15%
- Split Point Tip (132°) for increased speed,
- maximum durability and up to 6X longer life
- Accu-Grind Technology for up to 2X faster cuts in drilling and hole making

7Pc Rebar Demon SDS-Plus Hammer Bit Set

DMAPL9920-S7 (.998831)



- Withstands impact and high heat applications
- Delivers stability and accuracy
- Provides heat resistance and prevent breakage of the full-carbide heat for maximum life and productivity

17Pc Plumber’s Hole Saw Set

DHS17SPL (.934532)



- 2 ⅜” cutting depth for 40% deeper holes in 1 pass
- 1-Size fits all mandrel fits all Diablo hole saws, from ⅝” to 6” diameter
- Tool-free plug ejection for fast material removal



MORSE®

HIGH PERFORMANCE CUTTING


CHALLENGER®

BI-METAL
BAND SAW BLADES

Challenger® delivers long life and straight cuts with reduced vibration and noise when cutting structural material.

Features:

- For structural cutting of bundles, I-beams, interrupted cuts, low alloy steels, carbon steels
- Designed to absorb repeated impact when cutting multi-walled parts
- Reduced chance of stripping teeth
- Wide kerf options available



RECIPROCATING
SAW BLADES

It is now quicker than ever to choose the right recip for your job.

Know your application, pick your blade, start cutting!

Features:

- Simplified inventory for quicker, easier blade selection
- Value- and performance -driven options
- Improved pricing with the same application coverage




PORTABLE
BAND SAW BLADES

The perfect option for all your metal cutting needs. With a streamlined offering, Morse has changed the game when it comes to tooth pitch selection.

Features:

- 4 high-performance tooth options
- Improved organization for easy selection
- Simpler SKU options, same quality performance







LEARN MORE AT **MKMORSE.COM**

THE ANSWER
to all your metalworking needs!

Southwire™

Pro Continuity Tester w/ Remote

59724840 (.923321)



- Bright flashing LEDs and loud pulsating beeper provide a positive indication of continuity
- Bi-color LEDs determine polarity
- Includes detachable remote indicator for tracing multiple cable runs
- Color coded alligator clips

Conduit Bender

MCB½ (.903949) **1/2"**
MCB¾ (.903950) **3/4"**
MCB1 (.903951) **1"**



- Performs common bends, such as stubby-ups, offset, back-to-back and saddle bends
- Provides greater control and helps prevent slippage when applying force
- Raised and highly visible bender markings are cast on both sides of the bender head

2' GCIF Tri-Source

26020008-6 (.53021)



- NEMA 5-15P & (3)5-15R
- Grounded neutral: 4 Ohms
- Applications Include: Construction sites, saws and drills, portable electric power tools, multiple tools
- Trip response time for ground fault and grounded neutral trip: less than 25mS and grounded neutral trip



Stor-Mac 60 Security Storage Chest

784920 (.1030195)



- Steel wire mesh
- Four 6" heavy duty casters (standard)
- For high visibility storage
- Removable shelves for adjustable storage
- Lockable doors
- Load capacity 1,500 lbs
- Made in America

Mac-Rack Storage Cart

783317 (.888346)



- Capacity : 1000 lbs. (450 KG)
- 8" Diameter caster with 2 Swivelsfor maximum mobility
- 7 independent bins
- Fast and simple collapsible design for storage and transportation
- Made in America

14Pc Apprentice Tool Kit

65187640 (.1002343)



- Constructed with Fire Rivet™ technology, our pliers are designed to provide clean cuts with no wobble
- Wire stripper is made with stainless steel cutting blades for fast and clean wire stripping
- Our screwdrivers and nut drivers feature a comfortable hex shaped handle for maximum torque

2' GFCI Tri-SouSJTW Vinyl Outdoor Extension Cords



Catalog / Part #	Cond	Length	Color
2587SW8802 (.70059)	12/3	25'	Yellow
2588SW0002 (.52916)	12/3	50'	Yellow
2589SW0002 (.52047)	12/3	100'	Yellow
2408SW8804 (.52046)	14/3	50'	Red
2409SW8804 (.61409)	14/3	100'	Red



KLEIN TOOLS

Limited Edition 167th Classiclineman's Pliers

MADE IN USA

D20009NECL (.1090577)



- Celebrating 167 years of American craftsmanship
- Unique laser engraving inspired by American Industry
- Cuts ACSR, screws, nails and most hardened wire
- 46% greater cutting and gripping power than other plier designs
- Induction hardened cutting knives for long life
- Precision-hardened plier head for on-the-job toughness
- Hot-riveted joint ensures smooth action and no handle wobble

WHILE SUPPLIES LAST!

Insulation Resistance Tester

ET600 (.1030809)



- Voltage Tester tests insulation resistance up to 4000MΩ at 125V, 250V, 500V, and 1000V DC
- Megohmmeter with test and lock buttons for simple insulation testing
- Warning alarm and high voltage icon for detection of voltage
- Measures up to 1000V AC/DC, resistance, and continuity

AC/DC Digital Clamp Meter, Auto-Ranging 400 AMP

CL390 (.1030808)



- Test lead holder on side of clamp and optional magnetic hanger for meter for hands free operation
- Non-contact voltage tester integrated into the clamp jaw
- High-visibility reverse contrast LCD display for improved view ability in all ambient lighting conditions

Digital Circuit Breaker Finder

ET310 (.1007152)



- Quickly and accurately locate the correct circuit breaker in a panel corresponding to the circuit to which an electrical outlet or fixture is connected
- Consists of two parts: a Transmitter connected to the electrical outlet or fixture, and a Receiver used to scan the panel to locate the correct breaker
- Receiver delivers clear visual and audible indications when the correct breaker has been located

Steel Fish Tape



56331 (.1029547) **1/8 x 50'**
56333 (.1029548) **1/8 x 120'**
56335 (.1030825) **1/4 x 25'**

- Firm yet flexible for large wire pulls
- Optimized design of the tape housing decreases payout effort; slip-resistant geometry improves winding power
- Multi-position handle gives you a firm, steady grip as you pull tape from the case

11-in-1 Screwdriver / Nut Driver

32500 (.763070)



- Holds 8 popular tips and converts to 3 nut driver sizes
- Includes industrial strength heat treated bits: ⅜-Inch, 5⁄16-Inch and ¼-Inch nut drivers, #1 and #2 Phillips, ¼-Inch and 3⁄16-Inch slotted, T10 and T15 TORX, and #1 and #2 square recess
- Interchangeable blade for fast and easy switch out; comfortable cushion-grip handle

GFCI Tester w/ LCD

RT250 (.1030813)



- LCD readout shows the time required to trip a GFCI device
- Detect and identify common wiring faults
- Patent pending detection of Open Neutral Open Ground wiring fault

Foam Wire Pulling Lubricant

51100 (.859298)



- No mess formula stays where it is applied and wipes clean from hands and fabric
- 4X greater yield than gel or wax lubricants
- Coats better and is 30-percent more slippery than gel or wax lubricants

GREENLEE
A Textron Company

Aluminum Hand Bender


840AH (.791095) **1/2”**
841AH (.791096) **3/4”**
842AH (.628931) **1”**



- Superior, patented Site-Rite sighting system featuring cast-in, readable markings on the hand bender’s head and a finish that provides for the best visibility in low-light
- Strong, stable square hook design 1½” bender heads both offer the power pedal feature with a larger foot area

Cable Cutter

706 (.119046)



- Strong, lightweight fiberglass handles
- Adjustable pivot bolt provides for blade adjustment

Non-Contact Voltage Detector

GT-13 (.104305)



- Non-contact voltage detection from 50V to 1000V AC
- Patented automatic self-test verifies circuit integrity
- Audible and visual alert when voltage is present
- Bright flashlight for use in dark work areas



Current Tools
FOR THE PROFESSIONAL ELECTRICIAN

1 / 2” - 2” PVC Heater

450 (.832586)



- Full length door allows easy loading and removal of PVC conduit
- Manual operation
- 115 vac-1700 watts – 15 amps

Conduit Rack

505 (.834356)



- Capacity – 1,000 lbs.
- For organizing conduit or pipe
- Dimensions – 58 ½” length x 34” width x 61” height



BURNDY®

PATRIOT® 15 Ton C-Head 18V Battery Crimping Tool Kit

PAT46LWSLI (.931132)



- 2” jaw opening
- Used with P dies
- U dies with PUADP1 adapter (sold separately)

PATRIOT® 12 Ton C-Head 18V Battery Crimping Tool Kit

PAT750LI (.781808)



- 1.65” jaw opening
- 355° head rotation
- Uses U dies

PATRIOT® 11 Ton Dieless Latch Head 18V Battery Crimping Tool Kit

PAT644LI (.911902)



- Dieless System with range taking capability
- #4 AWG -1000 kcmil Copper and Aluminum, #4 AWG - 556.5 kcmil ACSR, AAC, AAAC, ACAR
- 355° Rotatable latch head



CRESCENT

150Pc Mechanics Tools Set

CTK150 (.1020551)



- Meets or exceeds ANSI and ASME specifications
- Includes blow mold case for storage and organization
- Contains a carefully selected assortment of hand tools needed for most industrial, mechanical and consumer applications

Vortex Socket Adapter Set

CAVAD2R-3 (.1032264)



- Torsion design delivers maximum performance for impact application
- Optimized tip geometry for best fit
- Chrome molybdenum alloy steel (Cr-Mo) for exceptional strength and long lasting durability

10” & 12” Tongue and Groove 2Pc Plier Set

RT400SGSET2 (.956942)



- Unique tooth design grips tighter, giving you increased torque using less effort
- Integrated non-marring Grip Zone™ pipe grip area in the handle, made of high-impact rubber
- Angled teeth for increased grip on pipes and fasteners

Aluminum Handle Pocket Knife

CPK325A (.1019452)



- Heavy-duty D2 steel blade provides excellent strength, edge retention, and overall product durability
- Ball bearing system provides quick and easy blade deployment for the life of the tool
- Ergonomic handle optimizes hand and finger contact points to maximize fit, control, and user ergonomics

CRESCENT Lufkin

Measure & Cut Trade Pack 2Pc


CTTKAP (.1028018)



- Narrow blade technology offers reduced weight when carrying a tape all day on the job site
- Matte nylon blade provides extended product life
- Diamond-coated end hook grabs material from every direction and prevents slippage

7” Ex6 Aluminum Casting Square

LSSP6-07(.992854)



- 6” fold out extension arm eliminates the need for a 7” and 12” square
- Quick access thumb lock releases the fold out extension and locks it back into place after use





CRESCENT Wiss

6” Electrician’s Data Pro Shears

CW5T (.1019447)



- Integrated wire strippers in scissor blade for quick and easy stripping of 19 and 23 AWG wires
- Serrated outside edges of blades for reaming knockouts and conduit
- Grip-Zone area for tightening wire nuts and crimping low voltage connections

STANLEY

FATMAX® 20oz Ripping Claw Hammer

51-508 (.50784)



- Jacketed graphite handle reduces shock and vibration
- High-carbon, polished steel head is precision balanced for a superior swing
- Ribbed grip handle; flared end to prevent slipping

6Pc Combo Screwdriver Set

66-565 (.697703)



- Vinyl grip handle for comfort
- Durable alloy steel blade
- Precision-formed tips for a secure fit
- Chrome-plated bars for corrosion resistance

6-in-1 Screwdriver

68-012 (.139445)



- Shaft is flexible to allow working in difficult to access areas
- Includes 10 replaceable 1/4 in bits and an adaptor

FATMAX® Safety Knife

FMHT10242 (.952109)



- Auto-retracting blade retracts when contact with cutting surface is lost
- Left or right handed use Quick blade change button can be pressed from both sides of the knife
- Accepts any standard utility blade

Utility Knife Blade Dispenser 100/pk

11-921A (.5500)



- High-quality, high-performance blades on hand to fit most standard utility knives
- Precision-honed edge for consistent and long cutting life
- High carbon steel blades are designed for general purpose cutting

FATMAX® Tape Measure

33-725 (.700518) **1-1/4" x 25'**
33-730 (.697906) **1-1/4" x 30'**
33-735 (.706290) **1-1/4" x 35'**



- Get measurements on your own with 14 ft. of reach
- Durable, high-impact case with non-slip rubber
- Easy-To-Read Measurements with large font numbers



GEARWRENCH

CALL FOR PRICING AND AVAILABILITY!

614Pc Master Mechanic Tool Set w/ Custom Trays & Storage

MEGAMODMRO (.1087685)

- ASME Specification : Meets or Exceeds
- Copy Point 11: Full lifetime warranty on all hand tools and a 5 year warranty on the mobile workstation
- Comprehensive 614 piece set mix of mechanics hand tools including drive tools, sockets, bit sockets, wrenches, ratcheting wrenches, pliers and screwdrivers



56Pc ⅜ Drive Socket Set SAE/Metric

80550P (.837344)



- 120XP ratchets have two double stacked 60-tooth pawls (120 positions) providing a 3° swing arc so you can turn fasteners in tighter confines
- Double-stacked pawls alternately engage the 60-tooth gear
- Sockets feature off-corner loading design reduces fastener rounding sound and sure grip on the hammer

7Pc Mixed Plier Set

82204C (.734577)



- K9™ jaw design for a strong grip, even when on a 35° angle
- High leverage joint design provides up to 35% greater cutting power
- Aggressive angled teeth for increased grip

7Pc Metric 12pt Ratcheting Combo Wrench Set

9417 (.851436)



- 72-tooth ratcheting box end needs a minimal 5° to move fasteners vs. 30° for standard wrenches
- Off-corner loading design on box end provides better grip and reduces fastener rounding
- Thin head and beam provide greater access in confined work areas

7Pc SAE 12pt Ratcheting Combo Wrench Set

9317 (.799840)



- 72-tooth ratcheting box end needs a minimal 5° to move fasteners vs. 30° for standard wrenches
- Off-corner loading design on box end provides better grip and reduces fastener rounding
- Thin head and beam provide greater access in confined work areas



2Pc ⅜" Drive 90T Compact Head Ratchet Set

81253T (.1019546)



- 90-tooth gear delivers a 4° swing arc to turn a fastener in tight confines
- Compact head design is 20% narrower than standard ⅜" drive ratchets for access

CHANNEL LOCK

Made in USA

The Original Tongue-and-Groove Pliers



420 (.61128) **9-1/2" Straight Jaw**
430 (.57838) **10" Straight Jaw**
440 (.57919) **12 Straight Jaw**
460 (.59502) **16 Straight Jaw**

- Patented reinforcing edge minimizes stress breakage
- Undercut tongue & groove design won't slip
- Right-angle, laser-heat treated teeth grip better and last longer
- PermaLock® fastener eliminates nut and bolt failure

8" XLT Diagonal Cutting Pliers



338 (.52480)

- XLT, Xtreme Leverage Technology means considerably less force required to cut than traditional high leverage
- Laser heat-treated cutting edges last longer
- CHANNELLOCK uses high-carbon steel for superior performance

8 ½" Lineman's Pliers



368 (.59651)

- Xtreme Leverage Technology
- Round nose
- Cuts ACSR


9" Ironworker's Plier



350S (.54207)

- Laser heat-treated
- Knife and anvil cutting edges ensure perfect mating and last longer

10.5" Fence Tool



85 (.56083)

- Staple starter, and puller
- Hammer
- Wire stretcher
- Wire splicers
- Two cutters
- Laser heat treated shears cut hardened steel wire

AMPRO FASTENERS



Large Inventory of High Quality Fasteners at Great Prices!

Self-Drilling Screws Sharp Point Screws
Clip Thread Screws Fine Thread Screws
Coarse Thread Screws



SALE!

CHECK OUT THESE CLOSEOUTS!



9Pc Hole Dozer Bi-Metal Hole Saw Set

49-22-4006 (.1058548)



- Rip Guard, the strongest tooth form in the industry
- 8 percent cobalt construction for increased wear resistance
- Plug Jack, an all access slot design for fast plug removal
- Features rip guard teeth, teeth with more steel behind the cutting edge for added durability

$39.99 Milwaukee

23Pc ½" Drive Combination Socket Set

DWMT73813 (.900662)



- Lockable Stacking Cases
- Durable Transparent Lid
- 72 Tooth Quick Release Ratchet

$49.99 DEWALT

12Pc Black Oxid eHex Shank Drill Bit Set

4935643 (.1052565)

- These drill bits use a 135° split-point tip to start drilling quickly and minimize walking
- Each drill bit is made with high-speed steel with a black oxide treatment to resist corroding
- 1/4-inch hex shank works in most Lock-n-Load quick-change extensions as well as most drill chucks



$22.99 IRWIN TOOLS

WHILE SUPPLIES LAST!

55Pc Vortex Bit Fastening Set

CAVBHSET-55 (.1047720)



- Dual Impact Torsion Zone™ absorbs shock, prevents stripped screws, and extends bit life
- Withstands heavy use in impact applications and prevents over torquing fasteners
- Compatible with 1/4" hex shank impact drivers and drills

$24.99 CRESCENT APEX

6Pc Steel Demon Carbide Hole Cutter Set

DHS06CFS (.1075669

- Up to 50X longer cutter life in metal cutting versus standard bi-metal hole saws
- Depth Stop Collar for controlled and efficient hole drilling
- Plug Eject Cobalt Pilot Bit prevents overfeeding and allows for easy removal of plugs

$69.99 freud



3x1000 "Caution No Smoking" Poly Tape

STY31 (.105372)



- Tear, stretch, curl-resistant
- Withstands heavy cart and pedestrian traffic

$5.99 Empire

Professional Tool Repair

American Producers Supply offers repair services for a variety of tools and equipment at our locations in Marietta, Huntington and Wixom. We can repair most professional brands of power tools. We also can do warranty work on tools for which we are an authorized repair center. Our capabilities include:

- Authorized repair center for DeWalt, Milwaukee and Stihl
- Authroized repair center for Honda Power Equipment and Husqvarna Construction Products
- Authorized Enerpac Service Center
- Repair of Hydraulic and Pneumatic Tools including Ingersoll Rand,Chicago Pneumatic, and Power Team
- Repair, Load Test and Certification of electric hoists, chain hoists and pullers
- Authorized repair center for CM Hoists
- Authorized repair center for Champion mag drills
- Authorized service center for Metabo





Rigging Services

American Producers custom builds chain and wire rope slings, and provides inspection, repair and certification of chain, web and wire slings.

Rigging Services offered, by Huntington Branch:

- Custom made wire rope and chain slings
- Custom lifting device inspection
- Wire Rope inspection
- Nylon / Polyester inspection
- Chain and wire mesh sling inspection
- Educational seminars on the care, use and inspection of chain slings, wire rope, wire mesh slings and round slings.
- Visual inspection of under hook lifting devices
- Load testing of chain, wire rope, and Nylon / Polyester slings
- Particle die testing series
- Visual inspection of hoist and pullers load testing of hoist and pullers



GENERAC®



Generac Automatic Standby Generator

Revolutionizing the 21st century electrical grid.



Generac Portable Generator

Improve energy resilience and independence

Optimize energy efficiency and consumption

Protect and build critical infrastructure



Generac Portable Generator

Marietta, OH
119 Second St
(740) 373-5050

Cincinnati, OH
10770 Kenwood Rd
(513) 791-4252

Columbus, OH
590 N. Hague Ave
(614) 272-1113

Lancaster, OH
1806 Victor Rd
(740) 654-3711

Portsmouth, OH
1763 10th St
(740) 354-3479

Sunbury, OH
6914 St. Rt. 37E
(740) 362-7249

Ferdinand, IN
2130 Industrial Park Rd
(812) 998-2130

Glasgow, KY
129 Beaver Trail
(270) 861-0060

Louisville, KY
520 South 15th St
(502) 583-3875

Pittsburgh, PA
7724 Edgewood Ave
(412) 220-2370

Wixom, MI
30270 Beck Rd
(248) 669-4040

Huntington, WV
333 Washington Ave
(304) 525-3545

Martinsburg, WV
36 Variform Dr
(304) 263-3364

St. Albans, WV
2822 Winfield Rd
(304) 755-0009